

A Review of the Most Important Medicinal Plants for Reducing Dental Plaque in **Traditional Iranian Medicine**



¹Periodontics Resident, Kerman Oral and Dental Diseases Research Center, Kerman Faculty of Dentistry, Kerman University of Medical Sciences, Kerman, Iran. Email: melikaknd@gmail.com

² Department of Oral and Maxillofacial Radiology, School of Dentistry, Urmia University of Medical Sciences, Urmia, Iran. Email: aisanghaznavi@yahoo.com

Article Info	A B S T R A C T
Article type: Review Article	Objective : Dental plaque, a flexible white or yellow-gray substance, significantly contributes to periodontal diseases. This study aims to present medicinal plants used in traditional Iranian medicine for controlling and treating dental plaque.
<i>Article History:</i> Received: 17 March 2024 Received: 12 May 2023 Accepted: 27 June 2024 Published Online: 01 July 2024	Methods: In this review study, keywords such as medicinal plant, traditional medicine, and dental plaque were utilized to search SID, Google Scholar, Megaran, PubMed, and Scopus databases. The article abstracts were reviewed, irrelevant studies excluded, and relevant ones selected for analysis.
	Results: The findings revealed that medicinal plants like coconut, aloe vera, clove, orange, rosemary, black tea, mango, chebulic myrobalan, miswak, turmeric, barberry, licorice, pomegranate, and black mulberry are essential in traditional Iranian medicine for managing dental plaque.
[⊠] Correspondence to:	Conclusion: The medicinal plants identified in this study have been suggested that by antioxidant, antimicrobial, and anti-inflammatory activities effectively combat dental plaques.
Aisan Ghaznavi Department of Oral and Maxillofacial Radiology, School of Dentistry, Urmia University of Medical Sciences, Urmia, Iran	Keywords: Tooth, Dental plaque, Traditional medicine, Medicinal plants, Iran
Email: aisanghaznavi@yahoo.com	
How to cite this paper	

Kakuyi Nezhad M, Ghaznavi A. A Review of the Most Important Medicinal Plants for Reducing Dental Plaque in Traditional Iranian Medicine. Plant Biotechnology Persa 2024. 2024; 6(1): 69-75.

Introduction

Oral and dental hygiene plays an important role in the health and well-being of our bodies. Failure to apply basic measures to maintain oral and dental hygiene not only damages the health of teeth and gums, but can also increase the risk of heart disease, cancer, and diabetes [1]. Dental plaque is a soft and sticky layer of bacteria that is

© The Author(s)

formed on teeth, gums, tongue, and even artificial teeth [2]. Many foods that are consumed produce an envirolment condition for bacteria in the mouth to have colonies and cause acid secretion on the teeth [2]. Sugary foods, starches, and grains are foods that help plaque production on the teeth [2].



DOI: 10.61186/pbp.6.1.69 Publisher: Ilam University of Medical Sciences

DOI: 10.61186/pbp.6.1.69]

Dental plaque, a biofilm composed of bacteria, adheres to the tooth surface, inducing gingival inflammation and increasing susceptibility to bleeding [3]. Progression of plaque accumulation leads to periodontal disease, characterized by the formation of periodontal pockets harboring pathogenic bacteria [3]. A confluence of factors, including inadequate oral hygiene practices, dietary choices, genetic predisposition, and limited access to dental care, contributes to plaque formation and subsequent oral health complications [3]. The deleterious effects of dental plaque extend beyond periodontal disease, encompassing dental caries, tooth loss, halitosis, tooth sensitivity, and aesthetic concerns [4].

Consistent daily oral hygiene practices, including tooth brushing and interdental cleaning, are essential for plaque removal. Plaque, when left undisturbed, calcifies to form tartar, a hardened substance that necessitates professional dental intervention for removal [5]. Incorporating fluoride toothpaste into one's oral hygiene regimen provides additional protection against dental caries [6]. Regular use of dental floss and interdental brushes is crucial for maintaining oral health by removing plaque and debris from interdental spaces.

Numerous strategies exist for dental plaque control. These include mechanical methods such as brushing, flossing, and the use of interdental cleaning aids, as well as chemical approaches involving mouthwashes, baking soda, whey, and vinegar [7]. Additionally, advanced technologies like ultrasonic scaling have been employed [8]. Antiseptic mouthwashes can effectively reduce oral bacterial load and mitigate early signs of periodontal disease [7, 8].

Traditional Iranian medicine has a rich history of utilizing medicinal plants for therapeutic purposes [9-12]. Herbal remedies continue to constitute a primary healthcare resource for a significant portion of the global population, including the management of oral diseases [13,14]. Given the prevalent use of medicinal plants for oral health in Iran, this study seeks to identify plant-based therapies traditionally employed for dental plaque control.

Materials and Methods

In this review study, the keywords of medicinal plant, traditional medicine, and dental plaque were used to search SID, Google Scholar, Megaran, PubMed, and Scopus databases. The abstracts of the articles were studied and irrelevant articles were removed and related articles were used to review the texts.

Results

The present study identified coconut, aloe vera, clove, orange, rosemary, black tea, mango, chebulic myrobalan, miswak, turmeric, barberry, licorice, pomegranate, and black mulberry as key medicinal plants employed in traditional Iranian medicine for dental plaque management. Table 1 provides a comprehensive overview of these plants, including their scientific names and reported therapeutic actions against dental plaque.

 Table 1. List of Medicinal Plants Effective for Ear Pain in Iranian Traditional Medicine.

Plant	Scientific Name	Effect	Ref
Coconut	Cocos nucifera	Pure and concentrated coconut oil, rich in lauric acid with anti-	[15]
		inflammatory and antimicrobial properties, is very suitable for	
		removing dental plaque.	
Aloe Vera	Aloe vera	Aloe vera is a plant that is used to deal with gum damage caused	[16]
		by dental plaque. The gel of this plant, as an antibiotic, destroys	
		the bacteria that cause dental plaque. Aloe vera has the same	
		effect as chlorhexidine mouthwash on dental plaque.	

Downloaded from pbp.medilam.ac.ir on 2025-07-18

Melika Kakuyi Nezhad et al.

Clove	Syzggiun	Herbal mouthwashes that contain cloves prevent the	[17]
Clove	aromaticum	accumulation of microbial units forming dental plaque and are	[1/]
	aromaticam	anti-inflammatory and anti-inflammatory agents for the gums.	
Rosemary	Salvia	Rosemary essential oil has antimicrobial properties and acts as a	[18]
Robernary	Rosmarinus	disinfectant for oral bacteria, which prevents the formation of	[10]
	Rosmannas	plaque and tooth decay. Rosemary extract prevents the growth	
		of oral bacteria, glucosyltransferase activity, glucan production,	
		and dental plaque formation.	
Black tea	Camellia	Black tea is a rich source of fluoride. Black tea has antioxidant	[19]
Diack tea	sinensis	and antimicrobial properties so rinsing the mouth with black	[19]
	SINENSIS	tea prevents the risk of dental plaque formation to a large extent	
Manage	Manaillana	with its antibacterial properties, especially oral bacteria.	[20]
Mango	Mangifera	Malvalic acid in mango has therapeutic potential in preventing	[20]
	indica	and treating oral periodontitis and inhibiting oral	
	···· 1:	streptococcus.	[20]
Chebulic	Terminalia	Chebulic myrobalan extract as an anticaries mouthwash by	[20]
myrobalan	chebula	increasing the pH of saliva inhibits <i>S. mutans</i> and lactobacilli.	
Miswak	Salvadora	Glucosinolates and benzyl isothiocyanates of the toothbrush	[21]
	Persia	plant with acidic properties have antimicrobial properties	
		against Streptococcus mutans.	
Turmeric	Curcuma longa	Curcumin present in turmeric has anti-inflammatory,	[22]
		antimicrobial, antioxidant, and antiseptic properties. It is an	
		oral antimicrobial and reduces gingivitis and, in this way, it	
		treats dental plaque.	
Barberry	Berberis	Barberry mouthwash is effective for dental plaque caused by A.	[23]
	Vulgaris	actinomycetemcomitans bacteria, lactobacilli, and streptococci.	
		The gel containing berberine reduces dental plaque by 56%.	
Licorice	Glycyrrhiza	Licorice root has effects against tooth decay and dental plaque	[15]
	glabra	and is a strong inhibitor of streptococcus mutans.	
Black	Morinda	Black mulberry fruit has anti-inflammatory effects, antibacterial	[20]
mulberry	citrifolia	effects that cause caries and dental plaque and is used as a	
		substitute for sodium hypochlorite.	
Orange	Citrus sinensis	Orange peel is a natural teeth whitener and is effective in	[24]
-		removing plaque on the teeth. Orange peel contains limonene,	
		and without damaging the tooth enamel, it causes scaling of the	
		teeth. Vitamin C in orange peel has antimicrobial properties	
		and prevents the growth of microbes in the mouth and on the	
		teeth.	
Pomegranate	Punica	Pomegranate gel is effective in dental health with antimicrobial	[25]
-	granatum	effects and reduction of dental plaques.	
		1 I	

Discussion

The oral cavity harbors a diverse microbial ecosystem, with a subset of microorganisms implicated in the pathogenesis of oral infections [26]. Coconut, a plant traditionally recognized for its antimicrobial properties, has been employed in oral hygiene practices. Its oil, rich in saturated and unsaturated fatty acids, vitamin E, phytochemicals, and minerals such as manganese, offers potential benefits for oral health [27]. Aloe vera, another plant with established anti-inflammatory properties, contains a variety of bioactive compounds, including oxidase, amylase, catalase, folic acid, aloin, and isobarbaloin [28].

Clove, a plant with established anti-inflammatory properties, has been traditionally used for toothache management. Its bioactive compounds, including eugenol, eugenol acetate, and heptacosane, contribute to its therapeutic effects [29]. Rosemary, another plant with anti-inflammatory properties, contains a range of bioactive molecules, such as rosmarinic acid, camphor, caffeic acid, ursolic acid, betulinic acid, carnosic acid, and carnosol [30]. Black tea, rich in polyphenols including flavonoids and catechins, exhibits anti-inflammatory effects [31]. Mango essential oil contains mangiferin, benzyl acetate, linalool, geraniol, limonene, and myrcene [32]. Black nightshade, traditionally recognized for its and anti-inflammatory properties, is antioxidant characterized by the presence of ellagic acid, gallic acid, chebulic acid, and flavonol glycoside. Miswak, a plant widely used in oral hygiene practices, contains isothiocyanide and sangrin [33, 34].

Curcumin, the principal bioactive compound in turmeric, has been traditionally employed for oral hygiene practices, including teeth whitening [35]. Barberry is rich in polyphenols, anthocyanins, and citric acid, while licorice root primarily contains glycyrrhizin, a compound with anti-inflammatory and gastrointestinal benefits [36-38]. Orange is a significant source of limonene and vitamin C, both possessing antioxidant and anti-inflammatory properties [39, 40]. Pomegranate fruit is characterized by the presence of tocopherols, sterols, terpenoids, and alkaloids [41, 42].

As it was mentioned, the main cause of dental plaque is the growth and colony of microorganisms, which cause inflammation and oxidative stress. Bacterial plaque is not removed easily, the gums can become inflamed within just a few days, and plaque can harden and develop into tartar [43]. Therefore, we should have preventive strategies to prevent dental plaques. Other than brushing the teeth and using floss, the use of plants with anti-bacterial, antioxidant and anti-inflammatory activities might be beneficial in dental plaques prevention. There are a lot of these plants [44-46].

Dental plaque, a biofilm composed of microorganisms, initiates an inflammatory response and oxidative stress within the oral cavity. This tenacious biofilm rapidly mineralizes into calculus, exacerbating oral health challenges [43]. Effective plaque control is essential to prevent the development of periodontal diseases. While mechanical methods such as brushing and flossing are fundamental, the incorporation of plant-derived agents with antibacterial, antioxidant, and anti-inflammatory properties offers promising adjunctive strategies for plaque management [44- 46].

Conclusion

Dental plaque remains a primary contributor to periodontal diseases. The results of this review highlight the significant role of various medicinal plants in traditional Iranian medicine (TIM) for controlling and treating dental plaque. These plants are valued not only for their historical use but also for their effectiveness demonstrated in scientific research. Their antioxidant, antimicrobial, and anti-inflammatory properties offer a multifaceted approach to managing dental plaque. The convergence of traditional knowledge with contemporary scientific validation opens new pathways for integrating these medicinal plants into modern dental care. Further clinical studies and trials are essential to fully elucidate their efficacy and safety. Nonetheless, the traditional knowledge preserved in TIM provides valuable insights into natural and effective strategies for plaque control. In conclusion, the medicinal plants identified in this study represent a promising repertoire for managing dental plaque, combining centuries-old traditional practices with modern scientific validation. Incorporating these plants into preventive and therapeutic dental care could enhance oral health outcomes and offer a comprehensive approach to plaque management.

Statements and Declarations Funding support:

The authors did not receive support from any organization for the submitted work

Competing interests:

The authors have no competing interests to declare that are relevant to the content of this article.

Ethics approval:

This study was performed in line with the principles of the Declaration of Helsinki.

Consent to participate:

Informed consent was obtained from all individual participants included in the study.

Author contributions:

MKN: Conceptualization, the original draft writing, investigation, writing including reviewing and editing and investigation and formal analysis; MKN : Conceptualization, supervision, and project administration; AGH and MKN Conceptualization, the original draft writing, investigation, writing including reviewing and editing.

Acknowledgments

The authors would like to express their gratitude to the clinical research development unit of Imam Khomeini Hospital, Urmia University of Medical Sciences, for English editing solid tumor research center.

References

- 1. Manouchehri N. A review of the most widely used medicinal plants in the treatment of dental and oral disorders and diseases. Journal of Biochemicals and Phytomedicine. 2022; 1(1): 3–7. doi: 10.34172/jbp.2022.2.
- Manouchehri N. Most important medicinal plants with anti-halitosis property: An overview. Journal of Biochemicals and Phytomedicine. 2023; 2(1): 1–2. doi: 10.34172/jbp.2023.1.
- 3. Borisy, G. G., & Valm, A. M. (2021). Spatial scale in analysis of the dental plaque microbiome. Periodontology 2000, 86(1), 97-112.
- Kurek-Gorecka, A., Walczyńska-Dragon, K., Felitti, R., Nitecka-Buchta, A., Baron, S., & Olczyk, P. (2021). The influence of propolis on dental plaque reduction and the correlation between dental plaque and severity of COVID-19 complications—a literature review. Molecules, 26(18), 5516.
- van der Sluijs, E., Slot, D. E., Hennequin-Hoenderdos, N. L., Valkenburg, C., & van der Weijden, F. (2021). Dental plaque score reduction with an oscillating-rotating power toothbrush and a high-frequency sonic power toothbrush: a systematic review and meta-analysis of single-brushing exercises. International journal of dental hygiene, 19(1), 78-92.
- Suresh, S., Arumugham, I. M., Doraikannan, S., Rathinavelu, P. K., Prabakar, J., & Balasubramaniam, A. (2021). Comparing the effectiveness of herbal and conventional dentifrices in reducing dental plaque and gingivitis: a systematic review. Journal of International Society of Preventive and Community Dentistry, 11(6), 601-608.
- Das, M., Panda, N. R., Bhuyan, R., Bhuyan, S. K. (2023). Moringa oleifera and its application in dental conditions: A systematic review and meta-analysis. J Herbmed Pharmacol. 12(3):331-336. doi: 10.34172/jhp.2023.35.
- Yousefimanesh, H., Robati, M., Piri, A., Boroujeni, A. K., & Sirous, M. (2022). The Antibacterial Analysis of Alcohol-Free and Alcohol-Based Chlorhexidine Mouthwashes Against Oral Bacteria. Avicenna Journal of Clinical Microbiology and Infection, 9(1), 16-20.
- 9. Hrynovets IS, Hrynovets VS, Lysiuk RM. Research design of the release of Amizon, Decametoxine, and Chlorhexidine from the composition of dental medicinal films. Journal of

Biochemicals and Phytomedicine. 2023; 2(2): 64–69. doi: 10.34172/jbp.2023.13.

- Obaid, R. F., Kadhim Hindi, N. K., Kadhum, S. A., jafaar alwaeli, L. A., Jalil, A. T. Antibacterial activity, antiadherence and anti-biofilm activities of plants extracts against Aggregatibacter actinomycetemcomitans: An in vitro study in Hilla City, Iraq. Caspian Journal of Environmental Sciences, 2022; 20(2): 367-372. doi: 10.22124/cjes.2022.5578
- 11. Manouchehri N. A review of the most widely used medicinal plants in the treatment of dental and oral disorders and diseases. Journal of Biochemicals and Phytomedicine. 2022; 1(1): 3–7. doi: 10.34172/jbp.2022.2.
- Baharvand Ahmadi, B., Khajoei Nejad, F., Papi, S., Eftekhari, Z. Phytotherapy for heart tonic: An ethnobotanical study in Dehloran City, Ilam Province, Western Iran. Caspian Journal of Environmental Sciences, 2023; (): 1-5. doi: 10.22124/cjes.2023.6192
- Jasim, S. A., Abdelbasset, W. K., Jawad, M. A., Bokov, D. O., Thangavelu, L., Manouchehri, A. Tramadol toxicity phytotherapy: The protective role of medicinal plants against tramadol toxicity. Caspian Journal of Environmental Sciences, 2023; 21(1): 227-243. doi: 10.22124/cjes.2023.6234
- Rehman, S., Iqbal, Z., Qureshi, R., AlOmar, T. S., Almasoud, N., Younas, M., ... & Irfan, M. (2024). Ethno-Dentistry of Medicinal Plants Used in North Waziristan, Pakistan. international dental journal, 74(2), 310-320.
- 15. Adwan Gh, Salameh Y, Adwan K, Barakat A. Assessment of antifungal activity of herbal and conventional toothpastes against clinical isolates of Candida albicans. Asian Pac Trop Biomed 2012; 2(5): 375-379.
- 16. Chandrahas B, Jayakumar A, Naveen A, Butchibabu K, Reddy P, Muralikrishna T. A randomized, double-blind clinical study to assess the antiplaque and antigingivitis efficacy of Aloe vera mouth rinse. J Indian Soc Periodontal 2012; 16(4): 543-548.
- 17. Pradeep AR, Happy D, Garg G. Short-term clinical effects of commercially available gel containing Acacia arabica: a randomized controlled clinical trial. Aust Dent J 2010; 55(1): 65-69.
- Balbaa, M. T., Taher, H. M., Hamza, N. K., & Balbool, B. A. (2024). Effect of Rosemary Endophytic Fungal Extract on Microhardness of Enamel and Its Inhibitory Effect on Glucosyltransferase Enzyme of Streptococcus mutans-An In Vitro Study. Egyptian Dental Journal, 70(1), 871-887.
- Mayangsari, N., Chasanah, N., Nurmalasari, A., Usviany, V., Alfah, S., & Mainassy, M. C. (2024). The Effect Of Black Tea Consumption On Teeth Coloring In The Community. International Journal of Health Sciences (IJHS), 2(2), 538-546.

- 20. Velmurugan A, Madhana Madhubala M, Bhavani S, Subbaian Satheesh Kumar. An in- vivo comparative evaluation of two herbal extracts Emblica offcinalis and Terminalia Chebula with chlorhexidine as an anticaries agent: A preliminary study. J Conserv Dent 2013; 16(6): 546-549.
- KHazaeli P, Foroumadi A-R, Moshafi M-H, Ehshami M.Toothpaste formulation from Miswak powder extract. Journal of Kerman University of Medical Sciences 2003; 10(1): 46-52.
- 22. Mali A, Behal R, Gilda S. Comparative evaluation of 0.1% turmeric mouthwash with 0.2% chlorhexidine gluconate in prevention of plaque and gingivitis: A clinical and microbiological study. J Indian Soc Periodontal 2012; 16(3): 386-391.
- 23. Somu AC, Ravindra S, Ajith S, Ahamed M G. Effcacy of a herbal extract gel in the treatment of gingivitis: A clinical study. J Ayurveda Integr Med 2012; 3(2): 85-90.
- 24. Essam, M. (2024). Natural Dental Bleaching Agents. Natural Conservative Dentistry: An Alternative Approach to Solve Restorative Problems, 169.
- 25. Saxena S, Prashant GM, Chandu GN. Laboratorial evaluation of antimicrobial efficacy of herbal dentifrices commercialized in India. Arch Oral Res 2011; 7(1): 51-60.
- 26. Mozaffari B, Mansouri Sh, Rajabalian S, Alimardani A, Mohamadi M. In vitro study between anti-bacterial and cytotoxic effects of Chlorhexidine and Persica mouthrinses. Journal of Dental School Shahid Beheshti University of Medical Sciences 2005; 23(3): 494-509.
- Zhang, Y., Kan, J., Liu, X., Song, F., Zhu, K., Li, N., & Zhang, Y. (2024). Chemical Components, Nutritional Value, Volatile Organic Compounds and Biological Activities In Vitro of Coconut (Cocos nucifera L.) Water with Different Maturities. Foods, 13(6), 863.
- 28. Khaldoune, K., Fdil, N., & Ali, M. A. (2024). Exploring Aloe vera: A comprehensive review on extraction, chemical composition, biological effects, and its utilization in the synthesis of metallic nanoparticles. Biocatalysis and Agricultural Biotechnology, 57, 103052.
- Liñán-Atero, R., Aghababaei, F., García, S. R., Hasiri, Z., Ziogkas, D., Moreno, A., & Hadidi, M. (2024). Clove Essential Oil: Chemical Profile, Biological Activities, Encapsulation Strategies, and Food Applications. Antioxidants, 13(4), 488.
- Gowda, M. S., Arpitha, K., Gamyashree, K., Prabhu, K. N., Kumar, A. N., Srinivas, K. S., & Hiremath, C. (2024). Chemical and molecular diversity of rosemary (Salvia rosmarinus L.) clones. Genetic Resources and Crop Evolution, 71(5), 2003-2018.
- 31. Mezher, Z. Y., & Almehanya, F. H. (2024). Effect of potassium nitrate and black tea leaf waste on the chemical

composition of wheat (Triticum aestivum L.). SABRAO J. Breed. Genet, 56(3), 1316-1323.

- Hasan, M. K., Alam, A., Islam, M. R., Akhtaruzzaman, M., & Biswas, M. (2024). Evaluating the Potential of 1-Methylcyclopropene Treatments on Physicochemical Properties, Bioactive Compounds, and Shelf Life of Mango Fruits under Different Storage Conditions. Heliyon.
- 33. Tiwari, M., & Barooah, M. S. (2024). A comprehensive review on the ethno-medicinal and pharmacological properties of Terminalia chebula fruit. Phytochemistry Reviews, 23(1), 125-145.
- 34. Sağır, S. S., Sapancı, B., Uysal, I., & Sevindik, M. (2024). A review: nutrition and oral-dental health, phytochemical content, biological activity of Salvadora persica (Miswak). Prospects in Pharmaceutical Sciences, 22(2), 18-25.
- 35. Wu, H., Liu, Z., Zhang, Y., Gao, B., Li, Y., He, X., ... & Yu, L. (2024). Chemical Composition of Turmeric (Curcuma longa L.) Ethanol Extract and Its Antimicrobial Activities and Free Radical Scavenging Capacities. Foods, 13(10), 1550.
- 36. Nateghi, L., & Kavian, F. (2024). Investigation of effect of different concentration methods on physicochemical properties, phenolic compounds and anthocyanins of barberry juice. Iranian Journal of Chemistry and Chemical Engineering, (Articles in Press).
- 37. Ermoshin, A. A., Kiseleva, I. S., Galishev, B. A., & Ulitko, M. V. (2024). Phenolic Compounds and Biological Activity of Extracts of Calli and Native Licorice Plants. Russian Journal of Plant Physiology, 71(1), 20.
- EL-Rahmany, N. G., Sharaf, E. H. (2023) Protective effect of Glycyrrhiza glabra L. root (licorice) extract against severe acute pancreatitis-induced acute lung injury via suppressing autophagy and inflammation. J Herbmed Pharmacol. 12(4):483-491. doi: 10.34172/jhp.2023.44699.
- 39. El Aboubi, M., Ben Hdech, D., Bikri, S., Benayad, A., El Magri, A., Aboussaleh Y., et al. (2023) Chemical composition of essential oils of Citrus limon peel from three Moroccan regions and their antioxidant, antiinflammatory, antidiabetic and dermatoprotective properties. J Herbmed Pharmacol. 12(1):118-127. doi: 10.34172/jhp.2023.11.
- 40. Mojo, T., Sutrisno, S., & Marfuah, S. (2024). Chemical Content and Pharmacology of Sweet Orange (Citrus sinensis) Fruit Peel: A Review. In E3S Web of Conferences (Vol. 481, p. 06002). EDP Sciences.
- 41. Khadivi, A., Rezagholi, M., & Shams, M. (2024). Phytochemical properties and bioactive compounds of pomegranate (Punica granatum L.). The Journal of Horticultural Science and Biotechnology, 1-14.
- 42. Elkoraichi, I., Latif, M., El Faqer, O., Elaje, R., Thoume, A., Mtairag, E, M., et al (2023). In vivo and in vitro evaluation of antioxidant, antihemolytic, acute toxicity effects and

high-performance liquid chromatography analysis of an aqueous extract of Moroccan Punica granatum L. J Herbmed Pharmacol. 12(1):168-175. doi: 10.34172/jhp.2023.17.

- Trombelli, L., Farina, R., Silva C. O., Tatakis D. N. (2018) Plaque-induced gingivitis: Case definition and diagnostic considerations. J Clin Periodontol. 45(Suppl 20):S44–S67.
- 44. Dermane, A., Kporvie, A.K.G., Kindji, K.P., Metowogo K., Eklu-Gadegbeku K. (2024) Immunomodulatory and antiinflammatory activities of hydro-ethanolic extract of Securidaca longipedunculata Fresen leaves. J Herbmed Pharmacol. 13(2):280-288. doi: 10.34172/jhp.2024.49352
- 45. Nguyen N. N. T., Vo D. L., Dang D. K., Huynh T. H., Ha, C. T. (2023) Comparative study of the antibacterial and anti-inflammatory activities of the seed coat vs. seed kernel extracts from the plant Mangifera indica L. in inflammatory acne treatment. J Herbmed Pharmacol. 12(4):575-584. doi: 10.34172/jhp.2023.48081.
- 46. Kim, Y., Lee, S., Choi, Y. A., Chung, J. M., Kim, E. N., Lee, B., et al. (2024) Magnolia kobus DC leaf ethanol extract alleviated lipopolysaccharide-induced acute lung inflammation by suppressing NF-κB and Nrf2 signaling. J Herbmed Pharmacol. 13(1):90-100. doi: 10.34172/jhp.2024.48116.