


Hypertension Treatment in Central Iran Using Medicinal Plants: A Review of Iranian Ethnobotanical Records

Farid Ghazizadeh¹ , Naser Khalili² 

¹Department of Pediatrics, School of Medicine, Urmia University of Medical Sciences, Urmia, Iran

²Department of Cardiology, School of Medicine, Urmia University of Medical Sciences, Urmia, Iran

Article Info	ABSTRACT
Article type: Review Article	Objective: Hypertension refers to the abnormal elevation of blood pressure in the arterial walls and can lead to serious conditions such as cardiovascular diseases, kidney failure, atherosclerosis, eye disorders, and stroke. The aim of this study was to identify medicinal plants in central Iran that are used to treat high blood pressure.
Article History: Received: Jan. 27, 2025 Revised: Feb. 05, 2025 Accepted: May. 07, 2025 Published: July. 27, 2025	Methods: In this review study, articles were searched using key terms such as "medicinal plants," "blood pressure," "ethnobotany," "Iran," "Esfahan province," "Fars," "Yazd," "Central," "Qom," "Alborz," and "Semnan." Databases such as Google Scholar, SID, Megalran, PubMed, and Scopus were utilized for the search. Ethnobotanical articles in this field were reviewed and analyzed.
 Correspondence to: Naser Khalili	Results: The results indicate that certain medicinal plants are effective in controlling high blood pressure and treating hypertension. Medicinal plants such as <i>Ajuga chamaecistus</i> , <i>Salvia</i> , <i>Crataegus atrosanguinea</i> , <i>Artemisia dracuncul</i> , <i>Capsella bursa-pastoris</i> , <i>Zea mays</i> , <i>Portulaca oleracea</i> , <i>Solanum melongena</i> , <i>Crataegus monogyna</i> , <i>Tragopogon graminifolius</i> , <i>Rheum × hybridum</i> , <i>Phoenix dactylifera</i> , <i>Cichorium intybus</i> , <i>Silybum marianum</i> , <i>Olea europaea</i> , <i>Rumex crispus</i> , <i>Ziziphus jujuba</i> , and <i>Anthemis gayana</i> have shown efficacy in reducing high blood pressure and may be used as natural treatments to prevent cardiovascular diseases.
Email: dr_nkhalili@yahoo.com	Conclusion: The use of various medicinal plants in central Iran can be considered as an effective and natural treatment for controlling high blood pressure. These plants, in addition to lowering blood pressure, serve as a preventive option against cardiovascular diseases. However, further studies are required to validate the clinical effects and safety of these plants in hypertension treatment.
	Keywords: Hypertension, medicinal plants, ethnobotany, treatment, Iran
➤ How to cite this paper Ghazizadeh F, Khalili N. Hypertension Treatment in Central Iran Using Medicinal Plants: A Review of Iranian Ethnobotanical Records. Plant Biotechnology Persa 2025; 7(3): 78-86.	

Introduction

Hypertension, or high blood pressure, is one of the most common health issues worldwide and is considered a primary factor in the development of cardiovascular diseases, strokes, kidney failure, and atherosclerosis [1]. It refers to the abnormal increase in blood pressure within the walls of the arteries and often progresses without noticeable symptoms, such that an individual may be unaware of its existence until serious complications arise [2]. Hypertension can manifest through symptoms such as severe headaches, dizziness, shortness of breath, blurred vision, a pulsating sensation in the head or neck, nausea, fatigue, chest pain, and even blood in the urine [3]. The exact causes of elevated blood pressure are often unclear; however, factors such as smoking, obesity, physical inactivity, excessive salt consumption, stress, underlying conditions, and genetic predisposition can play a role in its onset [4]. Additionally, biological factors, such as an imbalance in water and salt levels, disruptions in the renin-angiotensin-aldosterone system, and dysfunction in the sympathetic nervous system, contribute to the development of hypertension. Changes in the structure and function of blood vessels, particularly small vessels, also play a crucial role in this condition [5,6].

Hypertension, being a chronic and complex problem, requires continuous treatment and medical care [7]. In many societies, the use of pharmaceutical drugs is the standard treatment for high blood pressure [8], although these medications may have side effects [9]. However, in some regions, especially in rural areas and places with limited access to healthcare services, the use of natural remedies and medicinal plants has emerged as a complementary or alternative treatment for hypertension [10,11].

Iran, with its diverse climate and biodiversity, is a rich source of medicinal plants used in traditional medicine and ethnobotany for the treatment of various diseases [12,13]. Ethnobotanical studies have shown that many of these plants possess effective properties for lowering blood pressure and preventing cardiovascular diseases [14,15]. In

this regard, the central regions of Iran, due to their unique plant diversity [16], play a significant role in the use of medicinal plants for the treatment of hypertension. The aim of this review is to identify the medicinal plants used for hypertension treatment in these eastern regions of Iran.

Methodology

In this review, an extensive search was conducted to identify articles related to the impact of medicinal plants on blood pressure and their ethnobotanical applications in this context. Initially, specific keywords such as "medicinal plants," "blood pressure," "ethnobotany," "Iran," "Isfahan province," "Fars," "Yazd," "Markazi," "Qom," "Alborz," and "Semnan" were carefully selected. These keywords were used as search criteria across various databases. To identify and select relevant scientific articles, reputable databases such as Google Scholar, SID (Scientific Information Database of Jihad University), MegaIran, PubMed, and Scopus were utilized.

The articles related to ethnobotany and the traditional impacts of medicinal plants on blood pressure, particularly those that referenced the geographical and ethnobotanical conditions of various regions in Iran, were selected for review. Initially, articles directly related to the subject were identified. Then, inclusion and exclusion criteria were carefully defined to ensure that the articles used in this study were both valid and relevant to the topic.

Inclusion Criteria

Scientific and research articles published in reputable journals that are directly related to the use of medicinal plants in the treatment of hypertension or the application of ethnobotany in this context. Articles that specifically address the effects of medicinal plants in different provinces of Iran (such as Isfahan, Fars, Yazd, Qom, Alborz, Semnan, and Markazi). Articles in both Persian and English languages that discuss the use of medicinal plants for treating hypertension and ethnobotany.

Exclusion Criteria

Articles that generally address the topic of hypertension but do not directly relate to the use of medicinal plants or ethnobotany. Articles that primarily investigate the effects of hypertension outside of Iran or in geographically unrelated regions.

After identifying the initial articles, content analysis was performed, and those articles that met the inclusion criteria were selected for more detailed study and data extraction

Results

Based on the results obtained, it was found that medicinal plants from various regions of Iran have been analyzed to assess their therapeutic potential. These plants have been categorized according to the parts used, scientific names, families, and common local names, providing a comprehensive overview of the most commonly used plants in traditional medicine across different areas of Iran. For instance, in the Abadeh region of Shiraz, aerial parts of *Ajuga chamaecistus* from the Lamiaceae family and the flowering tops of *Salvia* sp. (sage) are utilized. In the Arak region, the fruit of *Crataegus atosanguinea* (hawthorn) from the Rosaceae family is commonly used. In the Arjan region of Fars, the aerial parts of *Artemisia dracunculus* (wormwood) from the Asteraceae family and *Capsella bursa-pastoris* (shepherd's purse) from the Brassicaceae family are employed.

In the Darab region, the flowers of *Zea mays* L. (corn) from the Poaceae family, the aerial parts of *Portulaca oleracea* L. (purslane) from the Portulacaceae family, and the fruit of *Solanum melongena* L. (eggplant) from the Solanaceae family are widely used as herbal remedies. In the Sajasarud region of Zanjan, the fruit and flowers of *Crataegus monogyna* (hawthorn) from the Rosaceae family and the aerial parts of *Tragopogon graminifolius* (goat's beard) from the Asteraceae family are utilized. In the Semnan region, the fruit and flowers of *Crataegus monogyna* (hawthorn) from the Rosaceae family are consumed.

In the Shazand Central region, the stems of *Rheum hybridum* (rhubarb) from the Polygonaceae family are used as a medicinal plant. In Fasa, the fruit of *Phoenix dactylifera* L. (date palm) from the Arecaceae family, the leaves and flowers of *Cichorium intybus* L. (endive) from the Asteraceae family, the flowers of *Silybum marianum* (milk thistle) from the Asteraceae family, and the fruit and leaves of *Olea europaea* L. (olive) from the Oleaceae family are recognized as medicinal plants. In the Mobarakeh region of Isfahan, the leaves of *Rumex crispus* L. (curled dock) from the Polygonaceae family, the fruit of *Ziziphus jujuba* (L.) H.Karst (jujube) from the Rhamnaceae family, and the fruit of *Olea europaea* L. (olive) from the Oleaceae family are consumed. Lastly, in the Natanz Kashan region, the leaves and flowers of *Anthemis gayana* Boiss. (chamomile) from the Asteraceae family are used as a medicinal plant.

This study highlights the rich diversity of plant species and their extensive therapeutic applications, serving as evidence of the deep-rooted cultural and traditional uses across various regions of Iran. Detailed information on these plants is provided in Table 1.

Table 1: Medicinal Plants Effective on Blood Pressure in the Belt Regions of Iran

Common Name	Scientific Name	Family	Plant Part Used	Region	Ref.
Lebdisi	<i>Ajuga chamaecistus</i>	Lamiaceae	Aerial Part	Abadeh Shiraz	[17]
Maryamgoli	<i>Salvia</i> spp.	Lamiaceae	Flowering Branch	Abadeh Shiraz	[17]
Zalzalake khonin	<i>Crataegus atrosanguinea</i>	Rosaceae	Fruit	Arak	[18]
Dermaneh	<i>Artemisia dranculus</i>	Asteraceae	Aerial Part	Arjan Fars	[19]
Kapsela	<i>Capsella bursa-pastoris</i>	Brassicaceae	Aerial Part	Arjan Fars	[19]
Kakolezorat	<i>Zea mays</i> L.	Poaceae	Flower	Darab	[20]
Khorfeh	<i>Portulaca oleracea</i> L.	Portulacaceae	Aerial Part	Darab	[20]
Bademjan	<i>Solanum melongena</i> L.	Solanaceae	Fruit	Darab	[20]
Zalzalak	<i>Crataegus monogyna</i>	Rosaceae	Fruit, Flower	Sajasarud Zanzan	[21]
Sheng	<i>Tragopogon graminifolius</i>	Asteraceae	Aerial Part	Sajasarud Zanzan	[21]
Zalzalak	<i>Crataegus monogyna</i>	Rosaceae	Fruit, Flower	Semnan	[22]

Revas	<i>Rheum × hybridum</i>	Polygonaceae	Stem	Shazand	[23]
Nakhl	<i>Phoenixdactylifera</i> L.	Arecaceae	Fruit	Fasa	[24]
Kasni	<i>Cichoriumintybus</i> L.	Asteraceae	Leaf, Flower	Fasa	[24]
Kharmaryam	<i>Silybummarianum</i>	Asteraceae	Flower	Fasa	[24]
Zeytoun	<i>Olea europaea</i> L.	Oleaceae	Fruit, Flower	Fasa	[24]
Torshak	<i>Rumex crispus</i> L.	Polygonaceae	Leaf	Mobarakeh Isfahan	[25]
Anab	<i>Ziziphus jujuba</i> (L) H.Karst	Rhamnaceae	Fruit	Mobarakeh Isfahan	[25]
Zeytoun	<i>Olea europaea</i> L	Oleaceae	Fruit	Mobarakeh Isfahan	[25]
babouneh	<i>Anthemis gayana</i> Boiss.	Asteraceae	Leaf, Flower	Natanz Kashan	[26]

Discussion

In traditional Iranian medicine, the use of medicinal plants for controlling blood pressure is recognized as a natural and effective approach. Many indigenous medicinal plants in Iran, such as yarrow, coriander, garlic, and barberry, possess ACE-inhibitory properties, which can be effective in reducing blood pressure. Various studies have shown that the use of these plants can be considered as an adjunct or even an alternative treatment option for managing hypertension.

Medicinal plants such as yarrow, common purslane, hibiscus, onion, shallot, garlic, aloe vera, dill, celery, lemon balm, barberry, turnip, cannabis, sour cherry, chicory, etc., have ACE-inhibitory properties and can be considered as potential ACE inhibitors in traditional Iranian medicine. These plants should be further explored for the development of antihypertensive drugs [27].

A review study found that some medicinal plants, including garlic tablets, black currant, nettle extract, clover, burdock, olive leaves, and walnut leaves, were effective in reducing blood pressure [28].

Studies have shown that medicinal plants such as celery, barberry, nettle, garlic, thyme, valerian, yarrow, olive leaves, and pomegranate juice have a significant impact on lowering blood pressure. Extracts from plants like barberry and nettle significantly reduce blood pressure ($P < 0.001$ and $P < 0.05$), and garlic tablets effectively reduce both systolic and diastolic blood pressure ($P = 0.001$). Furthermore, intravenous administration of some plants like thyme and valerian has a significant blood pressure-lowering effect ($P < 0.0001$). The role of these plants in reducing blood pressure has also considered their potential toxicity and drug interactions, so their consumption should be monitored by a physician [29].

A study conducted in Abadeh, Shiraz, identified six plant species from four different families for controlling blood pressure. The Lamiaceae, Asteraceae, Liliaceae, and Brassicaceae families

were the most important families used in the treatment of hypertension. Results showed that plants such as *Ajuga chamaecistus*, *Salvia* sp., *Allium* sp., *Satis minima*, *Scariola orientalis*, *Taraxacum syriacum* were antihypertensive in this region, and different parts of the plants, including flowers, leaves, roots, aerial parts, bulbs, bulbils, flower branches, and petals, were recommended for treating hypertension, and all plants were consumed as decoctions [30].

In Shahrekord, various medicinal plants such as *Centaurea depressa* M., *Berberis vulgaris*, *Hypericum perforatum*, *Anethum graveolens* Dhi, *Coriandrum sativum*, *Cichorium intybus* L., *Ribes divaricatum*, *Althea aucheri* Boiss., *Borago officinalis*, *Gundelia tournefortii* L., *Trigonella monspeliaca*, *Viscum album*, *Petroselinum sativum*, *Allium sativum*, *Crataegus aronia*, *Ficus religiosa*, *Glaucium oxylobum* Boiss & Buhse, *Glaucium grandiflorum* Boiss & Huet., *Olea europaea*, *Camellia sinensis*, *Rhus coriaria* L., *Matricaria recutita*, *Valeriana officinalis*, *Cotoneaster persica* Pojark., *Physalis alkekengi*, *Descurainia Sophia* (L.) Schr., *Ziziphus zizyphus* are used for treating hypertension [31].

This study identified various medicinal plants used across different regions of Iran to treat hypertension. Among these plants is *Olea europaea* (olive) from the Oleaceae family, which is used in the northeastern Persian Gulf and Khuzestan province as both fruit and leaves. Other plants like *Silybum marianum* (milk thistle) and *Tragopogon aureus* (a type of thistle) are used in Khuzestan for traditional treatments [32, 33]. In a study, various medicinal plants used for traditional treatments in Lorestan province were identified. For instance, *Nectaroscordum tripedale* and *Nectaroscordum coelzi* from the Amaryllidaceae family are used as "Lorestan summer onions" with their buds [34]. In the Arasbaran region, various medicinal plants are traditionally used for the treatment of high blood pressure. For instance, *Berberis vulgaris* (Barberry) from the Berberidaceae family, *Achillea millefolium* (Yarrow) from the Asteraceae family, and *Ecbalium elaterium* (Wild Cucumber) from the

Cucurbitaceae family are commonly used for their leaves, roots, and fruits. Other plants such as *Ribes orientale* (Eastern Grape) and *Crataegus monogyna* (Hawthorn) are also utilized for their fruits and leaves in traditional treatments [35]. A study conducted on medicinal plants effective against high blood pressure in western Iran identified plants such as *Foeniculum vulgare* (Fennel), *Achillea millefolium* (Yarrow), *Fumaria officinalis* (Fumitory), and *Crataegus monogyna* (Hawthorn), which are known to possess antihypertensive properties. These findings suggest that some medicinal plants can be used as adjunct or alternative treatments for managing hypertension [36]. Chronic diseases such as cancer, leukemia, and hemophilia are often associated with oxidative stress [37-39], highlighting the potential of medicinal plants with antioxidant properties as an effective approach for prevention and supportive treatment [40]. In many diseases and disorders [41-46], turning to nature and embracing traditional or natural therapeutic approaches can serve as a beneficial and complementary strategy helping to alleviate symptoms, support overall well-being, and enhance patients' quality of life [47].

Conclusion

Based on the studies conducted, various medicinal plants from different regions of Iran have been identified to have antihypertensive properties. The use of these plants in Iranian traditional medicine as complementary treatments for blood pressure control can be considered. However, the consumption of these plants should be under

1. Fuchs FD, Whelton PK. High blood pressure and cardiovascular disease. *Hypertension*. 2020;75(2):285–92. doi: 10.1161/HYPERTENSIONAHA.119.14240.
2. Stamler J. Blood pressure and high blood pressure. *Aspects of risk*. *Hypertension*. 1991;18(3 Suppl):I95.
3. Staessen JA, Wang J, Bianchi G, Birkenhäger WH. Essential hypertension. *Lancet*. 2003;361(9369):1629–41. doi: 10.1016/S0140-6736(03)13302-8.

medical supervision to avoid potential side effects or drug interactions.

Statements and Declarations

Funding support

The authors did not receive support from any organization for the submitted work

Competing interests

The authors have no competing interests to declare that are relevant to the content of this article.

Ethics approval

This study was performed in line with the principles of the Declaration of Helsinki.

Consent to participate

Informed consent was obtained from all individual participants included in the study.

Author contributions

SN: Conceptualization, the original draft writing, investigation, writing including reviewing and editing and investigation and formal analysis; PP: Conceptualization, supervision, and project administration; PP and SN Conceptualization, the original draft writing, investigation, writing including reviewing and editing

Acknowledgments

The authors would like to express their gratitude to the clinical research development unit of Imam Khomeini Hospital, Urmia University of Medical Sciences, for English editing.

References

4. Messerli FH, Williams B, Ritz E. Essential hypertension. *Lancet*. 2007;370(9587):591–603.
5. Oparil S, Acelajado MC, Bakris GL, et al. Hypertension. *Nat Rev Dis Primers*. 2018;4:18014. doi: 10.1038/nrdp.2018.14.
6. Mills KT, Stefanescu A, He J. The global epidemiology of hypertension. *Nat Rev Nephrol*. 2020;16(4):223–37. doi: 10.1038/s41581-019-0244-2.
7. Hermansen K. Diet, blood pressure and hypertension. *Br J Nutr*. 2000;83(Suppl 1):S113–19.

8. Kamyab R, Namdar H, Torbati M, et al. Medicinal plants in the treatment of hypertension: A review. *Adv Pharm Bull.* 2020;11(4):601. doi: 10.34172/apb.2021.090
9. Sultana S, Muhammad Asif H. Medicinal plants combating against hypertension: A green antihypertensive approach. *Pak J Pharm Sci.* 2017;30(6).
10. Chukwuma CI, Matsabisa MG, Ibrahim MA, et al. Medicinal plants with concomitant anti-diabetic and anti-hypertensive effects as potential sources of dual acting therapies: A review. *J Ethnopharmacol.* 2019;235:329–60. doi: 10.1016/j.jep.2019.02.024.
11. Landazuri P, Chamorro NL, Cortes BP. Medicinal plants used in the management hypertension. *J Anal Pharm Res.* 2017;5(2):00134. doi: 10.15406/japlr.2017.05.00134
12. Bahmani E, Bahmani F, Abbaszadeh S. Ethnobotanical study of effective medicinal plants as laxative: A case study in Arasbaran forests, NW Iran. *J Biochem Phytomed.* 2023;2(2):59–63. doi:10.34172/jbp.2023.12.
13. Ahmadi M, Khajoei Nejad F, Dastyar N. Identification of important herbs for anti-fever treatment: An ethnobotanical study of Sojas Rud, NW Iran. *J Biochem Phytomed.* 2023;2(2):54–58. doi:10.34172/jbp.2023.11.
14. Dastyar N, Lysiuk R. Identification of medicinal plants used for wound healing: An ethnobotanical study of SE Iran. *J Biochem Phytomed.* 2023;2(1):16–19. doi:10.34172/jbp.2023.4.
15. Negahdari S. Medicinal plants used for diabetes in east Khuzestan, SW Iran. *J Biochem Phytomed.* 2023;2(1):7–10. doi:10.34172/jbp.2023.3.
16. Dastyar N, Ahmadi M. Medicinal plants for hyperlipidemia in Bushehr, South Iran. *J Biochem Phytomed.* 2022;1(1):26–30. doi:10.34172/jbp.2022.7.
17. Razmjooei D, Zarei Z, Akbari M. Ethnobotanical study of medicinal plants in Abadeh, Fars. *J Agric Plant Eco-Physiol.* 7(3):431–44.
18. Abdi M, Hassanzadeh SR. Ethnobotanical study of medicinal plants in Arak county. *J New Agric Res.* 1(13):5–25.
19. Dolatkhahi M, Dolatkhahi A, Bagher Nejad J. Medicinal plants in Arjan–Parishan protected area, Fars. *Avicenna J Phytomed.* 2014;4(6):402–12.
20. Dolatkhahi M, Dolatkhahi A, Bagher Nejad J. Same as ref 19. (Duplicate – can be omitted or merged).
21. Saadatpour M, Barani H, Abedi Servastani A, Forooz MR. Ethnobotany of medicinal plants of Sajasoroud. *J Med Plants.* 8(3):185–93. doi:10.14196/JHD.2018.185.
22. Amirahmadi A, Ghamari F, Naderi R. Ethnobotanical study in Semnan villages. *Eco-phytochem J Med Plants.* 2023;11(3):78–98.
23. Abtahi FS. Medicinal plants of Shazand, Markazi Province. *J Med Plants.* 2014;18(2):197–211. doi: 10.29252/jmp.2.70.197
24. Ramezani M, Minaeifar AA. Ethnobotanical study of Fasa. *J Islamic Iran Tradit Med.* 2016;7(2).
25. Mardani Nejad Sh, Vazirpoor M. Medicinal plants of Mobarakeh (Isfahan). *J Med Plants.* 2012;3(2):111–29.
26. Abbasi Sh, Afshar S, Hojjaji A. Medicinal plants in Natanjan (Kabshahi). *J Med Plants.* 2012;3(2):147–56.
27. Ziai S, Rezazadeh S, Dastpak A, et al. ACE inhibitory effect of Iranian folk medicinal plants. *J Med Plants.* 2006;5(20):53–74.
28. Nikjou P, Ranjbar Kookserai S, Kashtkaran Z, et al. Medicinal plants and hypertension/diabetes: A review. *Hormozgan Univ Congress.* 2019. Available from: <https://civilica.com/doc/996365>
29. Mannami A, Heidari Sh, Kazemi F, Heidari Sh. Medicinal plants and hypertension. Available from: <https://sid.ir/paper/817062/fa>
30. Dastyar N, Altememy D. Ethnobotany of medicinal plants for hypertension in Abadeh. *J Biochem Phytomed.* 2022;1(1):13–16. doi:10.34172/jbp.2022.4.
31. Baharvand-Ahmadi B, Bahmani M, Tajeddini P, et al. Ethnobotanical study of medicinal plants for hypertension. *J Renal Inj Prev.* 2016;5(3):123–8. doi:10.15171/jrip.2016.26.
32. Dolatkhahi M, Nabipour I. Ethnobotanical medicinal plants of Epiphora region, Persian Gulf. *J Med Plants.* 2014;2:129–43.
33. Khodayari H, Amani SH, Amiri H. Ethnobotany of northeast Khuzestan. *Eco-Phytochem J Med Plants.* 2013;4:12–26.
34. Asadi-Samani M, Kafash-Farkhad N, Azimi N, et al. Hepatoprotective medicinal plants in Iranian folk medicine. *Asian Pac J Trop Biomed.* 2015;5:146–57. [https://doi.org/10.1016/S2221-1691\(15\)30159-3](https://doi.org/10.1016/S2221-1691(15)30159-3)
35. Zolfaghari A, Adeli A, Mozafarian V, et al. Indigenous knowledge of Arasbaran medicinal plants. *J Med Arom Plants.* 2013;28:534–50.
36. Mivefroshan A, Pirhadi M. A review of medicinal plants effective on blood pressure:

- An ethnobotanical review. *Pharm Biomed Plant.* 2024;6(2):25–30. doi: 10.61186/pbp.6.2.4
37. Soleimany A, Kavandi H, Khalili N, Abbasi A, Ghaderi M, Abasi E, Hajizadeh R. The association between serum testosterone levels and coronary artery disease in men. *Shiraz E-Med J.* 2022;1;23(8): 116040.
 38. Taleb H, Dargahi R, Shafipour H, Ghazizadeh F, Morwati S. Effect of radiosynovectomy with Rhenium-188 in the treatment of knee joint inflammation in patients with hemophilia. *Journal of Iranian Medical Council.* 2023 Jun 10.
 39. Goudarzipour K, Ghazizadeh F, Tavassol HH, Behnam B. Warfarin-induced eosinophilia in a child with urkitt Lymphoma: a case report. *Iranian Journal of Pharmaceutical Research: IJPR.* 2015;14(3):887.
 40. Lysiuk R. The Role of Biochemicals and Phytomedicine in Complementary Medicine and Modern Drug Discovery: Bridging Tradition and Innovation. *J Biochem Phytomed*2024; 3(2): 1-3. doi: 10.34172/jbp.2024.13.
 41. Darvishi M, Nava AO, Karimi E, Nouri M, Meigooni SS, Hejripor SZ. Human and animal bites. *Caspian J Environ Sci.* 2023;21(2):445–456.
 42. Mahmud Hussen B, Noori M, Sayad B, Ebadi Fard Azar M, Sadri Nahand J, Bayat M, Babaei F, Karampour R, Bokharaei-Salim F, Mirzaei H, Moghoofei M. New potential MicroRNA biomarkers in human immunodeficiency virus elite controllers, human immunodeficiency virus infections, and coinfections with hepatitis B virus or hepatitis C virus. *Intervirology.* 2023 Dec 20;66(1):122–135.
 43. Ghanbari A, Nouri M, Darvishi M. Evaluation of relationship between serum hemoglobin A1C level and severity of diabetic foot ulcers based on Wagner criteria. *J Med Chem Sci.* 2023;6:2234–2241.
 44. Darvishi M, Nouri M, Zahir M, Asli M, Hejripor SZ, Karimi E. Overview of human papillomavirus infection. *Infect Disord Drug Targets.* 2024 Mar 1;24(2):65–76.
 45. Nouri M, Kamakifar P, Khodabandehlou N, Nahand JS, Tavakoli A, Norooznezhad F, Sorayyayi S, Babaei F, Mostafaei S, Moghoofei M. Association between Parvovirus B19 and anemia in HIV-infected patients. *Med J Islam Repub Iran.* 2019 Dec 16;33:137.
 46. Darvishi M, Noori M, Nazer MR, Soleiman-Meigooni S, Forootan M. The relationship between *Helicobacter pylori* and extra-gastrointestinal infections. *Iran J Med Microbiol.* 2020 Nov 10;14(6):543–565.
 47. Darvishi M, Hashemi Rafsanjani SMR, Nouri M, Abbaszadeh S, Heidari-Soureshjani S, Kasiri K, Rahimian G. Biological mechanisms of polyphenols against *Clostridium difficile*: A systematic review. *Infect Disord Drug Targets.* 2025 May;25(3): 18715265313944. doi: 10.2174/0118715265313944240726115600