



A Brief Report on Current Evidence of Traditional Chinese Medicine in the Treatment of Patients Infected with SARS-CoV-2

Maryam Karimi Dehkordi^{1*}, Majid Gholami-Ahangaran¹

¹Department of Clinical Sciences, Faculty of Veterinary Medicine, Shahrekord Branch, Islamic Azad University, Shahrekord, Iran

Article Info

*Correspondence to:

Maryam Karimi Dehkordi
ma.karimivet58@gmail.com

Article History:

Received: 23 August 2020

Accepted: 04 Nov 2020

ePublished: : 08 Oct 2020

Keywords: SARS-CoV-2,
COVID-19, Traditional
Chinese Medicine

Abstract

Coronavirus Disease 2019 (COVID-19) is caused by Severe Acute Respiratory Syndrome Coronavirus type 2 (SARS-CoV-2) which has become a major threat to public health worldwide. During 2003 and 2012, the Severe Acute Respiratory Coronavirus (SARS-CoV) and Middle East Respiratory Syndrome Coronavirus (MERS-CoV) had human epidemics. Because of similar characteristics among SARS-CoV-2 and other coronaviruses, they can be used by physicians to treat similar severe patients. During the past decade, traditional medicine has been widely used for the epidemic outbreaks such as SARS, H₁N₁ influenza, and MERS. In this review, the researchers summarized the recent findings and evidence of herbal formula of TCM in the treatment of COVID-19.

How to cite this paper

Karimi Dehkordi M, Gholami-Ahangaran M. A brief report of current evidence of Traditional Chinese Medicine in the Treatment of Patients Infected with SARS-CoV-2. *Plant Biotechnology Persa* 2021; 3(1): 18-25.

Dear editor;

Coronavirus Disease 2019 (COVID-19) is caused by Severe Acute Respiratory Syndrome Coronavirus type 2 (SARS-CoV-2), which has become a major threat to public health worldwide.

During 2003 and 2012, respectively, the Severe Acute Respiratory Coronavirus (SARS-CoV) and Middle East Respiratory Syndrome Coronavirus (MERS-CoV) had human epidemics [1]. Because of similar characteristics between SARS-CoV-2 and other coronaviruses, they can be used by physicians to treat similar severe patients. During the past decade, traditional medicine has been widely used the epidemic outbreaks such as SARS, H1N1 influenza, and MERS [2, 3]. In this regard, researchers have recognized multiple components of herbal formulae in Traditional Chinese Medicine (TCM) with anti-SARS-CoV activity [4].

By February 22, 2020, 87% of COVID-19 Chinese patients were treated through TCM. Moreover, TCM treatment revealed that the effective rate of TCM was 92%, of which 5% of the patients only presented minor clinical manifestations [4]. In this brief report, we summarized the recent finding and evidence of herbal formula of TCM in the treatment of COVID-19.

Devastating inflammatory reactions can be associated with the deaths of patients suffering from SARS-CoV infection, COVID-19, or MERS-CoV. Consequently, the severity and mortality rate could be presumably reduced by anti-inflammatory agents. *Shuang Huang Lian*, as a TCM herbal product made from *Lonicerae japonicae* Flos, *Fructus Forsythiae* and *Scutellariae radix*, can probably hinder the activity of SARS-CoV-2 [5].

Moreover, some of the compounds in TCM can block and considerably prevent the SARS-CoV S-protein-Angiotensin-converting enzyme 2 (ACE2) interaction and, consequently, prevent the infection of SARS-CoV-2. These components are as follows: Emodin from *Polygonum* and genus *Rheum*, nicotinamide from foodstuff, baicalin from in *Scutellaria*

baicalensis, scutellarin, luteolin from *Veronica linifolia*, and tetra-*O*-galloyl- β -D-glucose (TGG) from *Galla chinensis* [6-10].

The results of a multi-center study revealed that *Astragalus membranaceus*, *Rhizoma Atractylodis*, *Rhizoma Atractylodis*, *Agastache*, *Rugosa*, *Glycyrrhizae uralensis*, *Macrocephalae*, *Saposhnikovia divaricata*, *Lonicerae Japonicae Flos*, *Radix platycodonis*, *Fructus forsythia*, and *Atractylodis Rhizoma* are the most frequently used Chinese herbs in the treatment of COVID-19 [11].

Based on the latest edition of Guideline, patients are recommended to use multiple component Chinese herbal products during the medicinal observation duration as a preventive measure, including *Lian Hua Qing Wen Capsule*, *Huo Xiang Zheng Qi Shui*, *Jin Hua Qing Gan Granule*, and *Shu Feng Jie Du Capsule* [12].

In the clinical treatment period, *Qing Fei Pai Du Tang*, *Xi Yan Ping Injection*, *Xue Bi Jing injection*, *Re Du Ning Injection*, *Tan Re Qing Injection*, *Xing Nao Jing Injection*, and some other Chinese medicine formulae should be selected. Also, the patients in critical condition can be administered *Shen Fu Injection*, *Sheng Mai Injection*, *Shen Mai Injection*, *Su He Xiang Pill*, and *An Gong Niu Huang Pill* [4].

According to the National Administration of Traditional Chinese Medicine, using *Qing Fei Pai Du Tang*, 214 COVID-19 patients were treated in Hebei, Shanxi, Shaanxi, and Heilongjiang Provinces with a total effective rate of 90% or higher by February 5, 2020 [13]. The symptoms were considerably treated in most of the patients ($\geq 60\%$) but the disease was stable in others (30%). Based on the findings, the major symptoms like cough and fever can be markedly relieved by this herbal product, which also can accelerate the recovery process.

Several TCM herbal products and their components have been reported with potential immunosuppressive impacts. For instance, Wang, *et al.* reported that lung inflammation might be inhibited by *Shen Fu Injection* while the levels of IL-6, IL-1 β , and other cytokines are declined. Also, according to Chang, *et al.*, *Re Du Ning Injection* could considerably decrease the levels of TNF- α , IL-8, IL-1 β , IL-10, and some other cytokines of LPS-prompted model of acute lung damage in rats. Thus, in treating severe COVID-19 patients, TCM with the capacity to prevent cytokine storm and its overwhelming results may be controlled [14].

To manage patients with SARS-CoV-2 infection, it is required to provide alternative and complementary treatments urgently. Moreover, experiences in TCM should be certainly studied. Randomized, placebo-controlled, and double-blinded studies offer the most reliable evidence for a treatment such as TCM, in particular.

Nevertheless, it has been found that most of these studies have been weakly designed and potential biases could be obtained by the results to evaluate the TCM treatment effectiveness. Experimental studies may have the ability to clarify the TCM therapeutic impacts the underlying mechanism in treating COVID-19. Innovative anti-human coronavirus compounds may be obtained through further TCM studies. Eventually, they may prove the effectiveness in treating of SARS-CoV-2 or other emergent fatal viral diseases as usual therapeutic agents.

Acknowledgment

None

Authors' contribution

The manuscript was carried out, written, and approved in collaboration with all authors.

Conflicts of Interest

None

Funding

None

References:

- [1] Rodriguez-Morales AJ, Balbin-Ramon GJ, Rabaan AA, Sah R, Dhama K, Paniz-Mondolfi A, et al. Genomic Epidemiology and its importance in the study of the COVID-19 pandemic. *Infez Med* 2020; 28 (2): 139-42.
- [2] Lombardy Section Italian Society I, Tropical D. Vademecum for the treatment of people with COVID-19. Edition 2.0, 13 March 2020. *Infez Med* 2020; 28 (2): 143-52.
- [3] Rabaan AA, Al-Ahmed SH, Haque S, Sah R, Tiwari R, Malik YS, et al. SARS-CoV-2, SARS-CoV, and MERS-COV: A comparative overview. *Infez Med* 2020; 28 (2): 174-84.
- [4] Yang Y, Islam MS, Wang J, Li Y, Chen X. Traditional Chinese Medicine in the Treatment of Patients Infected with 2019-New Coronavirus (SARS-CoV-2): A Review and Perspective. *International journal of biological sciences* 2020; 16 (10): 1708-17.
- [5] Zhang H, Chen Q, Zhou W, Gao S, Lin H, Ye S, et al. Chinese medicine injection shuanghuanglian for treatment of acute upper respiratory tract infection: a systematic review of randomized controlled trials. *Evid Based Complement Alternat Med* 2013; 2013: 987326.
- [6] Ho TY, Wu SL, Chen JC, Li CC, Hsiang CY. Emodin blocks the SARS coronavirus spike protein and angiotensin-converting enzyme 2 interaction. *Antiviral Res* 2007; 74 (2): 92-101.
- [7] Deng YF, Aluko RE, Jin Q, Zhang Y, Yuan LJ. Inhibitory activities of baicalin against renin and angiotensin-converting enzyme. *Pharm Biol* 2012; 50 (4): 401-6.
- [8] Chen Z, Nakamura T. Statistical evidence for the usefulness of Chinese medicine in the treatment of SARS. *Phytother Res* 2004; 18 (7): 592-4.
- [9] Takahashi S, Yoshiya T, Yoshizawa-Kumagaye K, Sugiyama T. Nicotianamine is a novel angiotensin-converting enzyme 2 inhibitor in soybean. *Biomed Res* 2015; 36 (3): 219-24.

- [10] Wang W, Ma X, Han J, Zhou M, Ren H, Pan Q, et al. Neuroprotective Effect of Scutellarin on Ischemic Cerebral Injury by Down-Regulating the Expression of Angiotensin-Converting Enzyme and AT1 Receptor. *PLoS One* 2016; 11 (1): e0146197.
- [11] Luo H, Tang QL, Shang YX, Liang SB, Yang M, Robinson N, et al. Can Chinese Medicine Be Used for Prevention of Corona Virus Disease 2019 (COVID-19)? A Review of Historical Classics, Research Evidence and Current Prevention Programs. *Chin J Integr Med* 2020; 26 (4): 243-50.
- [12] Zhang D, Zhang B, Lv JT, Sa RN, Zhang XM, Lin ZJ. The clinical benefits of Chinese patent medicines against COVID-19 based on current evidence. *Pharmacol Res* 2020: 104882.
- [13] National Health Commission of the People's Republic of China. Notice on the issuance of guidelines of diagnosis and treatment for 2019-nCoV infected pneumonia (version 6) 6 ed; [http://www.nhc.gov.cn/yzygj/s7653p/202002/8334a8326dd94d329df351d7da8aefc2.shtml](http://www.nhc.gov.cn/yzygj/s7653p/202002/8334a8326dd94d329df351d7da8aefc2.shtml?from=timeline) ?from=timeline. 2020.
- [14] Chang X, Zhang S, Jiang Y, Chen C, Chen J, Liu B, et al. Mechanism of Reduning Injection on anti-acute lung injury in rats based on cytokine storm. *Chin Tradit Herb Drugs* 2015; 46 (2): 236-39.