

Plant Biotechnology Persa



Online ISSN: 2676-7414

Homepage: https://pbp.medilam.ac.ir

Treatment of Angina pectoris with Indigenous Iranian Medicinal Plants: A Review on Traditional Persian Medicine

Davood Salehi¹ , Reyhaneh Narenjkar Esfahani 2[™]

¹Department of General Surgery, School of Medicine, Imam Khomeini Hospital, Urmia University of Medical Sciences, Urmia, Iran

²Faculty of Medicine, Kashan University of Medical Sciences, Kashan, Iran

Article Info Article type:

Review Article

Article History:

Received: 2024/09/9 Revised: 2024/10/23 Accepted: 2024/11/10 Published Online: 2024/12/30

[⊠] Correspondence to:

Reyhaneh Narenjkar Esfahani **Email:**

reyhanehnarenjkar@gmail.com

ABSTRACT

Objective: Angina pectoris is characterized by chest pain due to reduced blood flow to the heart, often caused by narrowed coronary arteries. This review examines medicinal plants traditionally used in Iran to alleviate angina symptoms, exploring both historical and modern applications. The goal is to enhance understanding of potential natural remedies for this condition.

Methods: This systematic review aimed to identify literature on the use of medicinal plants for angina pectoris. Searches were conducted across major scientific databases like Web of Science, PubMed, and Scopus, using keywords related to chest pain and herbal treatments. Articles included in the review were required to be in Farsi or English, focus on the effects of medicinal plants on angina, and be original research, reviews, or clinical trials, while excluding those with insufficient data or irrelevant content.

Results: Traditional Iranian medicine incorporates a rich array of herbal remedies for various ailments, including angina pectoris. Among the most commonly employed medicinal plants in Iran are garlic (Allium sativum), coriander (Coriandrum sativum), asafoetida (Ferula assa-foetida), cumin (Cuminum cyminum), ajwain (Carum copticum), parsley (Petroselinum crispum), pomegranate (Punica granatum), ginger (Zingiber officinale), green pumpkin (Cucurbita pepo), orange (Citrus sinensis), banana (Musa spp.), guava (Psidium guajava), apple (Malus domestica), turmeric (Curcuma longa), borage (Borago officinalis), lavender (Lavandula angustifolia), aloe vera (Aloe vera), almond (Prunus dulcis), basil (Ocimum basilicum), and alfalfa (Medicago sativa). These plants have been historically utilized as potential remedies for chest pain in Iranian traditional medicine.

Conclusion: The findings of this study suggest that traditional Iranian medicine offers a diverse array of medicinal plants with potential therapeutic benefits for angina pectoris. The identified plants exhibit a range of pharmacological properties, including anti-inflammatory, antioxidant, sedative, and antispasmodic effects. Additionally, these plants may contribute to improved blood circulation, potentially alleviating the symptoms of chest pain associated with angina.

Key words: Pain, Thorax, Chest pain, Herbal therapy, Traditional treatment, Angina pectoris, Persian medicine

How to cite this paper

Davood Salehi, Reyhaneh Narenjkar Esfahani. Treatment of Angina pectoris with Indigenous Iranian Medicinal Plants: A Review on Traditional Persian Medicine. Plant Biotechnology Persa 2025; 7(1): 34-39. DOI: 10.61186/pbp.7.1.7

Introduction

Cardiovascular disease represents a significant global health burden, ranking as the leading cause of mortality worldwide [1]. The spectrum of cardiovascular disorders encompasses coronary artery disease, heart failure, arrhythmias, and congenital heart defects [2]. The prevalence of cardiovascular diseases has escalated in recent decades,

primarily attributable to lifestyle changes and the increasing incidence of risk factors such as obesity, diabetes, and hypertension [3]. Projections indicate that cardiovascular diseases will continue to be the leading cause of death through 2030. The etiology of these conditions is multifaceted and involves a complex interplay of various factors.

Plant Biotechnology Persa 2025; 7(1): 34-39.



© The Author(s)

DOI: 10.61186/pbp.7.1.7

Publisher: Ilam University of Medical Sciences

Several risk factors are associated with an increased likelihood of developing coronary artery disease, including elevated blood cholesterol levels, hypertension, diabetes, a family history of cardiovascular disease, smoking, and a sedentary lifestyle. These factors contribute to endothelial damage and the accumulation of atherosclerotic plaques, leading to narrowed coronary arteries, reduced blood flow, and an elevated risk of angina and myocardial infarction [4]. From a pathophysiological perspective, angina pectoris arises from insufficient oxygen delivery to the myocardium, often due to coronary artery stenosis [5]. This stenosis may result from atherosclerotic plaque formation, coronary artery spasm, or thrombotic occlusion. The resulting oxygen deprivation can manifest as chest pain or discomfort, which may radiate to the neck, shoulders, arms, or jaw [6].

The management of angina typically involves a combination of pharmacological and non-pharmacological interventions. Drug therapy often includes the administration of nitroglycerin, beta-blockers, angiotensin-converting enzyme (ACE) inhibitors, and calcium channel blockers [7]. These medications mitigate angina symptoms by reducing myocardial workload, decreasing oxygen demand, and improving coronary blood flow. In more severe cases, surgical procedures such as percutaneous coronary intervention (PCI) or coronary artery bypass grafting (CABG) may be necessary [8].

Given the potential limitations and side effects associated with conventional treatments, there is a growing emphasis on developing novel preventive and therapeutic strategies, including the exploration of natural remedies and medicinal plants. Traditional Iranian medicine, along with other cultural traditions, has a rich history of utilizing medicinal plants for the treatment of angina and other cardiovascular conditions [8]. This review article was undertaken to identify the most promising medicinal plants employed in Iranian traditional medicine for the management of angina.

This systematic review was conducted to identify medicinal plants traditionally employed in Iranian medicine for the management of angina pectoris. The methodology involved a comprehensive search, screening, selection, and quality assessment of relevant literature. Authoritative scientific databases, including Web of Science, Medline, PubMed, Scopus, and Google Scholar, were systematically searched using the following keywords: 'medicinal plants,' 'pain,' 'thorax,' 'chest pain,' 'herbal therapy,' 'herbal medicine,' 'traditional treatment,' and 'Persian medicine.' Additionally, MeSH terms were incorporated to enhance search precision.

To ensure comprehensive identification of relevant studies, a manual search of the reference lists of included articles was conducted. Inclusion criteria for this systematic review were limited to studies that [1] investigated the effects of Iranian medicinal plants on angina pectoris or chest pain and [2] provided full-text access. Articles were excluded if they were identified as duplicates in multiple databases, were unrelated to the study topic, or were written in languages other than Farsi or English.

Results

A diverse array of native medicinal plants are employed in traditional Iranian medicine to address chest pain, including garlic (Allium sativum), coriander (Coriandrum sativum), asafoetida (Ferula assa-foetida), cumin (Cuminum cyminum), fennel (Foeniculum parsley vulgare), (Petroselinum crispum), pomegranate (Punica granatum), ginger (Zingiber officinale), green pumpkin (Cucurbita pepo), orange (Citrus sinensis), banana (Musa spp.), guava (Psidium guajava), apple (Malus domestica), turmeric (Curcuma longa), borage (Borago officinalis), lavender (Lavandula angustifolia), aloe vera (Aloe vera), almond (Prunus dulcis), basil (Ocimum basilicum), and alfalfa (Medicago sativa). Table 1 provides a more comprehensive overview of these medicinal plants and their potential applications in the management of chest pain.

Methodology

Table 1. Medicinal plants used for angina pectoris (chest pain) [9-12].

| Scientific name | English Name | Family | Common mechanisms of action |
|--------------------|--------------|-----------|--|
| Allium sativum | Garlic | Alliaceae | Inhibition of inflammatory enzymes, antimicrobial |
| Coriandrum sativum | Coriander | Apiaceae | Anti-inflammatory and antioxidant |

| Ferula assa-foetida | Asafoetida | Apiaceae | Antispasmodic and anti-inflammatory |
|------------------------|-------------|---------------|-------------------------------------|
| Cuminum cyminum | Cumin | Apiaceae | Antispasmodic and anti-inflammatory |
| Carum copticum | Ajwain | Apiaceae | Antispasmodic and anti-inflammatory |
| Petroselinum crispum | Parsley | Apiaceae | Anti-inflammatory and diuretic |
| Punica granatum | Pomegranate | Lythraceae | Anti-inflammatory and antioxidant |
| Zingiber officinale | Ginger | Zingiberaceae | Antispasmodic and anti-inflammatory |
| Cucurbita pepo | Pumpkin | Cucurbitaceae | Anti-inflammatory and antioxidant |
| Citrus sinensis | Orange | Rutaceae | Anti-inflammatory and antioxidant |
| Musa spp. | Banana | Musaceae | Anti-inflammatory and sedative |
| Psidium guajava | Guava | Myrtaceae | Anti-inflammatory and antioxidant |
| Malus domestica | Apple | Rosaceae | Anti-inflammatory and antioxidant |
| Curcuma longa | Turmeric | Zingiberaceae | Anti-inflammatory and antioxidant |
| Borago officinalis | Borage | Boraginaceae | Anti-inflammatory and sedative |
| Lavandula angustifolia | Lavender | Lamiaceae | Anti-inflammatory and sedative |
| Aloe vera | Aloe Vera | Asphodelaceae | Anti-inflammatory and regnative |
| Prunus dulcis | Almond | Rosaceae | Anti-inflammatory and antioxidant |
| Ocimum basilicum | Basil | Lamiaceae | Antispasmodic and anti-inflammatory |
| Medicago sativa | Alfalfa | Fabaceae | Anti-inflammatory |

Discussion

Garlic (*Allium sativum*), containing compounds such as allicin, possesses well-documented antibacterial and antiviral properties, contributing to immune system enhancement [13]. Coriander (*Coriandrum sativum*), rich in essential oils and compounds like linalool, has been traditionally used to alleviate digestive symptoms and promote digestion [14]. Asafoetida (*Ferula assa-foetida*), characterized by the presence of compounds such as anhydroferulic acid, is renowned for its analgesic and antispasmodic effects [15]. Cumin (*Cuminum cyminum*),

containing compounds like carvacrol and terpene, is known to reduce bloating and improve digestive function [16]. Ajwain (*Carum copticum*) is a source of antioxidants, including carbonyl compounds and omega-3 fatty acids, which contribute to inflammation reduction and digestive health promotion [17]. Parsley (*Petroselinum crispum*), rich in vitamin C and antioxidants, is beneficial for strengthening the immune system and promoting overall well-being [18].

Pomegranate (*Punica granatum*), rich in antioxidants such as punicalagin, has been associated with a reduced risk of cardiovascular disease and enhanced immune function [19].

Ginger (Zingiber officinale), containing compounds like gingerol, possesses anti-inflammatory and analgesic properties [20]. Green pumpkin (*Cucurbita pepo*) is a valuable source of vitamin A and dietary fiber, supporting digestive health and visual function [21]. Oranges (*Citrus sinensis*), rich in vitamin C and flavonoids, contribute to immune system strengthening and a reduced risk of chronic diseases [22]. Bananas (*Musa* spp.), high in potassium and vitamin B6, are beneficial for cardiovascular health and nervous system function [23]. Guava (*Psidium guajava*), containing vitamin C and fiber, promotes digestive health and enhances immune function [24].

presence of linalool and limonene, is known for its calming effects on the nervous system and anxiety reduction [28]. Aloe vera (*Aloe vera*), rich in antioxidants and vitamins, is traditionally used for wound healing and skin soothing [29]. Almonds (Prunus dulcis), a valuable source of vitamin E and unsaturated fatty acids, contribute to cardiovascular and skin health [30]. Basil (Ocimum basilicum), containing essential oils and antioxidants, possesses anti-inflammatory and immune-enhancing properties [31]. Alfalfa (Medicago sativa), rich in vitamins B and C, supports digestive health and boosts immune function [32]. Plant secondary metabolites, such as alkaloids, flavonoids, and terpenes, have a variety of therapeutic properties. These compounds can be effective in treating conditions like diabetes, inflammation, and cancer. The use of medicinal plants containing these active compounds has long been a cornerstone in both traditional and modern medicine for the prevention and treatment of various diseases [33-38].

Conclusion

Research in traditional Iranian medicine has demonstrated the efficacy of a diverse array of medicinal plants in alleviating chest pain, including angina pectoris. These plants possess a range of pharmacological properties, including anti-inflammatory, antioxidant, sedative, and antispasmodic effects, which contribute to the reduction of chest pain symptoms. Additionally, many of these plants have been shown to improve blood circulation and increase oxygen supply to the heart thereby mitigating angina and other cardiovascular discomforts. The bioactive compounds found in these plants, such as flavonoids and essential fatty acids, may also contribute to regulating heart rhythm and lowering blood pressure, making them potential complementary therapies for individuals with angina. In conclusion, the use of medicinal plants in traditional Iranian medicine, due to their multifaceted therapeutic properties, is recognized as a comprehensive and natural approach to managing cardiovascular pain and discomfort.

Apples (*Malus domestica*), rich in antioxidants and dietary fiber, have been shown to lower cholesterol levels and promote cardiovascular health [25]. Turmeric (*Curcuma longa*), containing the bioactive compound curcumin, exhibits potent anti-inflammatory properties, supporting joint health [26]. Borage (*Borago officinalis*), a source of omega-6 fatty acids, has been associated with improved skin health and reduced inflammation [27]. Lavender (*Lavandula angustifolia*), characterized by the

Statements and Declarations Funding support:

The authors did not receive support from any organization for the submitted work

Competing interests

The authors have no competing interests to declare that are relevant to the content of this article.

Ethics approval

This study was performed in line with the principles of the Declaration of Helsinki.

Consent to participate

Informed consent was obtained from all individual participants included in the study.

Author contributions

DS: Conceptualization, the original draft writing, investigation, writing including reviewing and editing and investigation and formal analysis; RNE: Conceptualization, supervision, and project administration; RNE and DS Conceptualization, the original draft writing, investigation, writing including reviewing and editing.

Acknowledgments

The authors would like to express their gratitude to the clinical research development unit of Imam Khomeini Hospital, Urmia University of Medical Sciences, for English editing.

References

 Baharvand Ahmadi, B., Khajoei Nejad, F., Papi, S., Eftekhari, Z. Phytotherapy for heart tonic: An ethnobotanical study in Dehloran City, Ilam Province,

- Western Iran. *Caspian Journal of Environmental Sciences*, 2023; (): 1-5. doi: 10.22124/cjes.2023.6192
- 2. Halimi M, BeheshtiRouy S, Salehi D, Rasihashemi SZ The role of immunohistochemistry studies in distinguishing malignant mesothelioma from metastatic lung carcinoma in malignant pleural effusion. Iranian Journal of Pathology 2019; 14(2), 122.
- 3. Baharvand Ahmadi B, Narenjkar Esfahani R. Serum Levels of Glutathione and Malondialdehyde in Patients with Type 2 Diabetes with Coronary Heart Disease at Khorramabad Heart Hospital, Western Iran: A Cross-Sectional Study. Plant Biotechnology Persa 2024; 6 (2):80-83
- 4. Kloner RA, Chaitman B. Angina and its management. Journal of cardiovascular pharmacology and therapeutics. 2017 May;22(3):199-209.
- 5. Ford TJ, Berry C. Angina: contemporary diagnosis and management. Heart. 2020 Mar 1;106(5):387-98.
- 6. Picard F, Sayah N, Spagnoli V, Adjedj J, Varenne O. Vasospastic angina: A literature review of current evidence. Archives of cardiovascular diseases. 2019 Jan 1;112(1):44-55.
- 7. Joshi PH, De Lemos JA. Diagnosis and management of stable angina: a review. Jama. 2021 May 4;325(17):1765-78.
- 8. Behzadi F, Narenjkar Esfahani R. Herbal Remedies for Bloating in Traditional Iranian Medicine: Natural Antioxidants for Managing Abdominal Bloating. Plant Biotechnology Persa 2025; 7 (1): URL: http://pbp.medilam.ac.ir/article-1-254-en.html
- Jasim, S. A., Abdelbasset, W. K., Jawad, M. A., Bokov, D. O., Thangavelu, L., Manouchehri, A. Tramadol toxicity phytotherapy: The protective role of medicinal plants against tramadol toxicity. *Caspian Journal of Environmental Sciences*, 2023; 21(1): 227-243. doi: 10.22124/cjes.2023.6234
- 10. Avicenna (Ibn Sina), H. The Canon of Medicine. Vol. 2. Tehran: Soroush Press; 2005.
- 11. Aghili Khorasani MH. Makhzan al-Adwiya. Tehran: Iranian Institute of Herbal Medicine and Pharmacology; 1997.
- 12. Zargari A. Medicinal Plants. Vol. 1. Tehran: University of Tehran Press; 2009.
- 13. Bayan L, Koulivand PH, Gorji A. Garlic: a review of potential therapeutic effects. Avicenna journal of phytomedicine. 2014 Jan;4(1):1.
- 14. Laribi B, Kouki K, M'Hamdi M, Bettaieb T. Coriander (Coriandrum sativum L.) and its bioactive constituents. Fitoterapia. 2015 Jun 1; 103:9-26.
- 15. Fadiman M. Ecosystem Excitement: Using Everyday Items, Projects, Field Trips, and Exotic Images to Connect Students to Plants. Innovative Strategies for Teaching in the Plant Sciences. 2014:261-73.
- 16. Allaq AA, Sidik NJ, Abdul-Aziz A, Ahmed IA. Cumin (Cuminum cyminum L.): A review of its ethnopharmacology, phytochemistry. Biomedical Research and Therapy. 2020 Sep 30;7(9):4016-21.
- 17. Fazeli-nasab B, Fooladvand Z. A review on Iranian Carum copticum (L.): Composition and biological

- activities. European Journal of Medicinal Plants. 2016 Jan 10;12(1):1-8.
- 18. Farzaei MH, Abbasabadi Z, Ardekani MR, Rahimi R, Farzaei F. Parsley: a review of ethnopharmacology, phytochemistry and biological activities. Journal of traditional Chinese medicine. 2013 Dec 1;33(6):815-26.
- 19. Melgarejo-Sánchez P, Núñez-Gómez D, Martínez-Nicolás JJ, Hernández F, Legua P, Melgarejo P. Pomegranate variety and pomegranate plant part, relevance from bioactive point of view: A review. Bioresources and Bioprocessing. 2021 Dec;8:1-29.
- 20. White B. Ginger: an overview. American family physician. 2007 Jun 1;75(11):1689-91.
- 21. Caili FU, Huan S, Quanhong LI. A review on pharmacological activities and utilization technologies of pumpkin. Plant foods for human nutrition. 2006 Jun;61:70-7.
- 22. Etebu E, Nwauzoma AB. A review on sweet orange (Citrus sinensis L Osbeck): health, diseases and management. American Journal of Research Communication. 2014;2(2):33-70.
- 23. Kashyap PP, Dodke BA, Moon AG, Umak GD, Kalode DP, Jaunjare L. A review on banana plant: A boon to humankind. World Journal of Pharmaceutical Research. 2018 May 9;7(13):250-8.
- 24. Parvez GM, Shakib U, Khokon M, Sanzia M. A short review on a nutritional fruit: guava. Open Access: Toxicology and Research. 2018;1:1-8.
- 25. Brown S. Apple. Springer US; 2012.
- 26. Krup V, Prakash LH, Harini A. Pharmacological activities of turmeric (Curcuma longa Linn): a review. J Homeop Ayurv Med. 2013;2(133):2167-1206.
- 27. Pieszak M, Mikolajczak PL, Manikowska K. Borage (Borago officinalis L.)-a valuable medicinal plant used in herbal medicine. Herba Polonica. 2012;58(4).
- 28. Cavanagh HM, Wilkinson JM. Lavender essential oil: a review. Australian infection control. 2005 Mar 1;10(1):35-7.
- 29. Surjushe A, Vasani R, Saple D. Aloe vera: a short review. Indian journal of dermatology. 2008 Oct 1;53(4):163-6.
- 30. Özcan MM. A review on some properties of almond: impact of processing, fatty acids, polyphenols, nutrients, bioactive properties, and health aspects. Journal of Food Science and Technology. 2023 May;60(5):1493-504.
- 31. Egata DF. Benefit and use of sweet basil (Ocimum basilicum L.) in Ethiopia: A review. J. Nutr. Food Proces. 2021;4(5):57-9.
- 32. Hadidi M, Palacios JC, McClements DJ, Mahfouzi M, Moreno A. Alfalfa as a sustainable source of plant-based food proteins. Trends in Food Science & Technology. 2023 May 1;135:202-14.
- 33. Babanejad Abkenar K, Akbarzadeh A, Noori A, Niroomand M. Effect of diet containing alfalfa (Medicago sativa) powder and leaf extract on hemolymph factors of western whiteleg shrimp (Litopenaeus vannamei) under low salinity stress. *Aquatic Animals Nutrition.* 2024;10(2):1-19. doi: 10.22124/janb.2024.27893.1249.
- 34. Akbary P. Determination of antioxidant and phytochemical properties of premix extract of brown

- macroalgae Padina australis, Sargassum licifolium and Stoechospermum marginatum from Chabahar coast, Southeastern Iran. *Aquatic Animals Nutrition*. 2024;10(1):27-41. doi: 10.22124/janb.2024.26283.1229.
- 35. Nikkhajoei M, Choopani R, Tansaz M, Heydarirad G, Hashem-Dabaghian F, Sahranavard S, et al. Herbal medicines used in treatment of nonalcoholic fatty liver disease: a mini-review. Galen Med J. 2016;5(3):e654.
- 36. Keneshlo A, Naeimi M, Mohammadi Moghadam M, Aldaghi M. Study on insecticides effects of some medicinal plant extracts on the population rates of eggs
- and nymphs of the common pistachio psyllid (Agonoscena pistaciae). J Chem Health Risks. 2024;500(1000).
- 37. Sargazi ML, Karam ZM, Shahraki A, Raeiszadeh M, Khabaz MJR, Yari A. Anti-inflammatory and apoptotic effects of Levisticum officinale Koch extracts on HT 29 and Caco-2 human colorectal carcinoma cell lines. Galen Med J. 2024;13:1.
- 38. Esmaeili A, Parsaei P, Nazer M, Bakhtiari R, Mirbehresi H, Safian Boldaji H. Phytotherapy in burn wound healing: a review of native Iranian medicinal plants. J Chem Health Risks. 2023;1(1):17.