


The Use of Medicinal Plants in the Prevention and Treatment of Myocardial Infarction: A Review of Traditional Medical Sources

Pouneh Pashapour¹ 

¹Cardiovascular Research Center, Tabriz University of Medical Sciences, Tabriz, Iran

Article Info	ABSTRACT
<p>Article type: Review Article</p> <p>Article History: Received: Nov 16, 2025 Revised: Mar 14, 2026 Accepted: Mar 16, 2026 Published Online: Apr 20, 2026</p> <p> Correspondence to: Pouneh Pashapour</p> <p>Email: pashapour.md@gmail.com</p>	<p>Objective: Myocardial infarction remains a leading cause of mortality worldwide, highlighting the need for effective preventive and therapeutic strategies. Traditional Iranian medicine has long employed medicinal plants to strengthen the heart and mitigate complications associated with heart attacks. This review aims to identify medicinal plants historically used in the management and prevention of myocardial infarction according to traditional Iranian medical texts.</p> <p>Methods: In accordance with the principles of traditional medicine, this review systematically examined classical texts, specialized herbal literature, and credible online sources to identify plants associated with the prevention and treatment of myocardial infarction.</p> <p>Results: Historical evidence indicates that traditional communities relied on plants such as <i>Crocus sativus L.</i>, <i>Borago officinalis L.</i>, <i>Curcuma longa L.</i>, <i>Trigonella foenum-graecum L.</i>, <i>Thymus vulgaris L.</i>, <i>Althaea officinalis L.</i>, <i>Cuminum cyminum L.</i>, <i>Melissa officinalis L.</i>, <i>Lavandula angustifolia Mill.</i>, <i>Valeriana officinalis L.</i>, <i>Achillea millefolium L.</i>, <i>Citrus aurantium L.</i>, <i>Allium sativum L.</i>, <i>Salvia officinalis L.</i>, <i>Papaver rhoeas L.</i>, <i>Capsicum annuum L.</i>, <i>Citrus limon (L.) Burm. f.</i>, <i>Vaccinium macrocarpon Aiton</i>, <i>Camellia sinensis (L.) Kuntze</i>, <i>Hordeum vulgare L.</i>, <i>Mentha spicata L.</i>, <i>Matricaria chamomilla L.</i>, <i>Zingiber officinale Roscoe</i>, <i>Cinnamomum verum J. Presl</i>, <i>Berberis vulgaris L.</i>, <i>Anethum graveolens L.</i>, <i>Cichorium intybus L.</i>, <i>Elettaria cardamomum (L.) Maton</i>, <i>Punica granatum L.</i> as herbal remedies for the prevention and management of myocardial infarction.</p> <p>Conclusion: Medicinal plants demonstrate significant potential in the prevention and treatment of myocardial infarction. Their traditional applications may serve as valuable complementary strategies alongside modern cardiovascular therapies. Scientific validation of these plants could facilitate the development of novel, safe, and effective cardiac medications.</p> <p>Keywords: Heart, myocardial infarction, medicinal plants, traditional medicine, Iran, Treatment</p>
<p>➤ How to cite this paper Pashapour P. The Use of Medicinal Plants in the Prevention and Treatment of Myocardial Infarction: A Review of Traditional Medical Sources. <i>Plant Biotechnology Persa</i>. 2026; 8(2): 12-17.</p>	

Introduction

Myocardial infarction (MI) is one of the leading causes of mortality worldwide and imposes a substantial economic and healthcare burden on societies [1]. It typically results from the sudden obstruction of coronary arteries, leading to reduced blood flow to the myocardium and potentially causing permanent cardiac damage [2]. Major risk factors for MI include hypertension, diabetes, obesity, tobacco use, chronic stress, and a sedentary lifestyle [3,4]. These factors

contribute to coronary artery injury and increase the likelihood of impaired myocardial perfusion [5].

Common clinical manifestations of MI include chest pain or pressure, which may radiate to the arms, shoulders, neck, jaw, or back [6]. Additional symptoms may include shortness of breath, cold sweats, nausea, dizziness, and arrhythmias. In women and elderly patients, symptoms may be mild or atypical [7].

Prevention strategies primarily emphasize lifestyle modification, a healthy diet, and the management of cardiovascular risk factors [8]. Key preventive measures include the consumption of fruits, vegetables, whole grains, and fish; regular physical activity; smoking cessation; stress management; and the control of blood pressure and blood glucose levels [9].

For centuries, traditional Iranian medicine and other historical medical systems have sought to identify plants with cardioprotective properties [10]. Historical texts document the use of medicinal plants to strengthen the heart, improve circulation, and prevent arterial blockage [11].

Recent scientific studies indicate that many medicinal plants contain bioactive compounds, including flavonoids, alkaloids, and terpenoids [12]. These compounds exhibit antioxidant, anti-inflammatory, anticoagulant, and blood pressure-regulating effects, and they may modulate molecular pathways involved in cardiac injury and coronary artery obstruction [13]. Evidence from traditional medical sources also suggests that medicinal plants can enhance cardiovascular health [14]. By reducing inflammation, inhibiting low-density lipoprotein (LDL) oxidation, and improving endothelial function, these plants may lower the risk of myocardial infarction; some additionally possess antihypertensive and anticoagulant properties [15].

The treatment of MI requires immediate intervention and may involve restoring coronary blood flow through pharmacotherapy, angioplasty, stenting, or bypass surgery [16]. Long-term management includes the use of statins, beta-blockers, and anticoagulants, in conjunction with lifestyle modifications and participation in cardiac rehabilitation programs to reduce the risk of recurrent events [17].

This review aims to comprehensively examine traditional sources and contemporary scientific evidence regarding the use of medicinal plants in the prevention and management of myocardial infarction, thereby providing a foundation for the safe and targeted clinical application of these natural resources.

Methods

This study was conducted as a systematic review based on the principles of traditional Iranian medicine. The methodology comprised two main components:

1. Identification of medicinal plants
Medicinal plants historically used for the prevention and treatment of myocardial infarction in traditional Iranian medicine were identified through a comprehensive review of both written and digital sources. These sources included classical reference texts on traditional medicine and medicinal plants, specialized herbal literature, scientific databases, and other credible online resources [18–25].

2. Evidence matching and evaluation
The traditional uses of the identified plants were compared and analyzed against findings from modern scientific studies to assess the alignment between historical applications and contemporary evidence, including known molecular mechanisms involved in the prevention and management of myocardial infarction. Electronic databases searched included Web of Science, SID, Google Scholar, Scopus, and MagIran, using keywords related to prevention, treatment, medicinal plants, traditional medicine, and myocardial infarction.

This two-tiered approach enabled a comprehensive review of medicinal plant applications in myocardial infarction and facilitated a scientific evaluation of evidence derived from traditional medical sources.

Results

Traditional Iranian medicine employs a wide variety of medicinal plants for the prevention and treatment of myocardial infarction. Notable examples include *Crocus sativus L.*, *Borago officinalis L.*, *Curcuma longa L.*, *Trigonella foenum-graecum L.*, *Thymus vulgaris L.*, *Althaea officinalis L.*, *Cuminum cyminum L.*, *Melissa officinalis L.*, *Lavandula angustifolia Mill.*, *Valeriana officinalis L.*, *Achillea millefolium L.*, *Citrus aurantium L.*, *Allium sativum L.*, *Salvia officinalis L.*, *Papaver rhoeas L.*, *Capsicum annum L.*, *Citrus limon (L.) Burm. f.*, *Vaccinium macrocarpon Aiton*, *Camellia sinensis (L.) Kuntze*, *Hordeum vulgare L.*, *Mentha spicata L.*, *Matricaria chamomilla L.*, *Zingiber officinale Roscoe*, *Cinnamomum verum J. Presl*, *Berberis vulgaris L.*, *Anethum graveolens L.*, *Cichorium intybus L.*, *Elettaria cardamomum (L.) Maton*, *Punica granatum L.*

Detailed information regarding the characteristics, traditional uses, and reported effects of these medicinal plants in the context of myocardial infarction is summarized in Table 1.

Table 1: Medicinal plants traditionally used for the prevention and management of myocardial infarction in Iranian traditional medicine

Common Name	Scientific Name	Family	Plant Part Used	Traditional Use
Saffron	<i>Crocus sativus L.</i>	Iridaceae	Stigma	Infusion, edible, poultice
Borage	<i>Borago officinalis L.</i>	Boraginaceae	Flower, leaf	Infusion, tea, edible
Turmeric	<i>Curcuma longa L.</i>	Zingiberaceae	Rhizome	Powder, edible, poultice
Fenugreek	<i>Trigonella foenum-graecum L.</i>	Fabaceae	Seed	Decoction, edible
Thyme	<i>Thymus vulgaris L.</i>	Lamiaceae	Leaf, flower	Infusion, tea
Hollyhock	<i>Althaea officinalis L.</i>	Malvaceae	Root, flower	Infusion, poultice
Cumin	<i>Cuminum cyminum L.</i>	Apiaceae	Seed	Decoction, spice, edible
Lemon Balm / Musk Willow	<i>Melissa officinalis L.</i>	Lamiaceae	Leaf	Infusion, tea
Lavender	<i>Lavandula angustifolia Mill.</i>	Lamiaceae	Flower	Distillate, infusion, poultice
Valerian	<i>Valeriana officinalis L.</i>	Caprifoliaceae	Root	Infusion, decoction
Yarrow	<i>Achillea millefolium L.</i>	Asteraceae	Leaf, flower	Infusion, poultice
Bitter Orange Blossom	<i>Citrus aurantium L.</i>	Rutaceae	Flower	Distillate, infusion
Garlic	<i>Allium sativum L.</i>	Amaryllidaceae	Clove	Raw, decoction, poultice
Sage	<i>Salvia officinalis L.</i>	Lamiaceae	Leaf	Infusion, tea
Poppy	<i>Papaver rhoeas L.</i>	Papaveraceae	Flower	Infusion, poultice
Red Pepper	<i>Capsicum annum L.</i>	Solanaceae	Fruit	Edible, spice
Lemon	<i>Citrus limon (L.) Burm. f.</i>	Rutaceae	Fruit, peel	Juice, infusion

Cranberry	<i>Vaccinium macrocarpon</i> Aiton	Ericaceae	Fruit	Edible, infusion
Green Tea	<i>Camellia sinensis</i> (L.) Kuntze	Theaceae	Leaf	Infusion
Barley	<i>Hordeum vulgare</i> L.	Poaceae	Seed	Decoction, soup, infusion
Mint	<i>Mentha spicata</i> L.	Lamiaceae	Leaf	Infusion, tea
German Chamomile	<i>Matricaria chamomilla</i> L.	Asteraceae	Flower	Infusion, tea, poultice
Ginger	<i>Zingiber officinale</i> Roscoe	Zingiberaceae	Rhizome	Infusion, edible
Cinnamon	<i>Cinnamomum verum</i> J. Presl	Lauraceae	Bark	Infusion, edible
Barberry	<i>Berberis vulgaris</i> L.	Berberidaceae	Fruit	Decoction, edible
Dill	<i>Anethum graveolens</i> L.	Apiaceae	Leaf, seed	Infusion, edible
Chicory	<i>Cichorium intybus</i> L.	Asteraceae	Root, leaf	Infusion, edible
Cardamom	<i>Elettaria cardamomum</i> (L.) Maton	Zingiberaceae	Seed	Infusion, spice
Pomegranate	<i>Punica granatum</i> L.	Lythraceae	Fruit, peel	Juice, decoction

Discussion

Myocardial infarction (MI) and cardiovascular diseases represent some of the most pressing global health challenges, affecting millions of individuals annually and imposing substantial economic and social burdens on healthcare systems. Due to the side effects and limitations of conventional pharmaceuticals, there is growing interest in medicinal plants as complementary or alternative strategies for the prevention and management of these conditions [26].

Medicinal plants, which contain bioactive compounds such as flavonoids, phenols, alkaloids, saponins, and glycosides, have demonstrated anti-inflammatory, antioxidant, and metabolic regulatory effects. These properties contribute to the control of blood pressure, reduction of lipid levels, and prevention of cardiac fibrosis [27,28]. For example, *Allium sativum*, *Curcuma longa*, *Crataegus* spp., *Zingiber officinale*, *Cinnamomum verum*, and *Ginkgo biloba* have been shown to prevent cardiac ischemia, reduce oxidative stress, and improve vascular resistance [28,31].

Specific plant-derived compounds, such as oleanolic acid primarily extracted from olives and apple peels can mitigate myocardial infarction-induced damage by modulating cellular pathways such as Akt/mTOR and inhibiting cardiac fibrosis, thereby enhancing cardioprotection [29]. Additionally, plants from the Asteraceae and Lamiaceae families, including chamomile, thyme, sage, and mint, exhibit antithrombotic, diuretic, and vasorelaxant properties, which may reduce complications associated with hypertension, atherosclerosis, and myocardial infarction [32].

Flavonoid-rich Chinese medicinal plants, such as *Ginkgo biloba*, *Scutellaria baicalensis*, *Thymus vulgaris*, and *Salvia miltiorrhiza*, also improve endothelial function, reduce inflammation, and exert antioxidant effects, contributing to the prevention of cardiac injury [35]. Moreover, natural compounds such as curcumin, resveratrol, and quercetin can reduce free radical formation and enhance the endogenous antioxidant system, serving as effective agents in the prevention and treatment of MI-induced cardiac damage [37].

Collectively, current evidence indicates that medicinal plants can not only lower the risk of myocardial infarction and promote cardiovascular health but also act as safe complementary agents alongside conventional therapies, potentially reducing drug dosages and minimizing adverse effects. These findings underscore the need for further clinical and mechanistic research on cardioprotective medicinal plants and may guide the development of natural therapeutics and preventive strategies worldwide.

Conclusion

Myocardial infarction remains a leading cause of mortality globally, imposing significant economic and social burdens. Evidence from traditional Iranian medicine demonstrates that numerous medicinal plants, including saffron, garlic, turmeric, thyme, hawthorn, and chamomile, have historically been used for the prevention and treatment of MI. These plants, rich in bioactive compounds such as flavonoids, phenols, alkaloids, and saponins, exhibit antioxidant, anti-inflammatory, and anticoagulant effects, contributing to the reduction of blood pressure, cholesterol levels, and ischemia-induced cardiac damage. Compounds such as oleanolic acid, curcumin, and resveratrol further enhance cardioprotection by inhibiting cardiac fibrosis and scavenging free radicals. Plants from the Asteraceae and Lamiaceae families, with diuretic, antithrombotic, and vasorelaxant properties, also contribute to the prevention of cardiac injury.

Integrating medicinal plants as adjuncts to conventional therapies may reduce the side effects of chemical drugs and improve cardiovascular outcomes. Scientific and clinical investigation of these plants provides a strong foundation for the development of natural therapeutics and global preventive strategies aimed at promoting cardiovascular health.

Declarations

Conflict of Interest
The author declares no conflict of interest related to the publication of this article.

Acknowledgements

The authors would like to express their gratitude to the Tabriz University of Medical Sciences, for financial support.

Consent for Publication

The author confirms that the final version of the manuscript has been reviewed and approved for publication.

Funding/Support

None.

Authors'

PP: Conceptualization, the original draft writing, investigation, writing including reviewing and editing and investigation and formal analysis; PP: Conceptualization, supervision, and project administration; PP Conceptualization, the original draft writing, investigation, writing including reviewing and editing.

Contributions

Ethical Approval

As this study is a review article, it does not involve human or animal subjects and therefore does not require ethical approval or informed consent.

References

1. Topol EJ. The genetics of heart attack. *Heart*. 2006 Jun 1;92(6):855-61. doi: 10.1136/hrt.2005.060202.
2. Paffenbarger RS Jr, Wing AL, Hyde RT. Physical activity as an index of heart attack risk in college alumni. *Am J Epidemiol*. 1978 Sep 1;108(3):161-75.
3. Halsey RH. Etiology of Heart Disease. *JAMA*. 1932 Feb 20;98(8):593-8. <https://jamanetwork.com/journals/jama/article-abstract/277363>
4. Shahid A, Roobi A, Aslam N, Parvez H, Sarwar R, Waris A. Myocardial Infarction (Heart Attack): Pathophysiology & New Treatments.
5. Elsaka OM, Ma N, Gamil MA, Ghazali MT, Abd al-Razik AH. Pathophysiology, investigations, and management in cases of myocardial infarction. *Asian J Adv Med Sci*. 2022 Jan 6;4(1):1-4.
6. Tanai E, Frantz S. Pathophysiology of heart failure. *Compr Physiol*. 2016 Jan 17;6(1):187-214. doi: 10.1002/cphy.c140055.
7. Schwinger RH. Pathophysiology of heart failure. *Cardiovasc Diagn Ther*. 2021 Feb;11(1):263.
8. Kocaman S, Dosay-Akbulut M. Heart Attack and Alternative Treatments. *Afyon Kocatepe Univ Ulus Mühendislik Teknol Uygul Bilim Derg*. 2021 Dec 12;4(2):99-106. <https://dergipark.org.tr/en/pub/akuumbd/article/1002814>
9. Bekke-Hansen S, Pedersen CG, Thygesen K, Christensen S, Waelde LC, Zachariae R. Faith and use of complementary and alternative medicine among heart attack patients in a secular society. *Complement Ther Med*. 2012 Oct 1;20(5):306-15.
10. Mashnafia S, Abd Elmeged LS. The positive effects of motherwort (*Leonurus cardiaca*) plant in improving heart health and reducing heart attacks and strokes in laboratory rats.
11. Adegbola P, Aderibigbe I, Hamed W, Omotayo T. Antioxidant and anti-inflammatory medicinal plants have potential role in the treatment of cardiovascular disease: a review. *Am J Cardiovasc Dis*. 2017 Apr 15;7(2):19.
12. Roy A, Khan A, Ahmad I, Alghamdi S, Rajab BS, Babalghith AO, et al. Flavonoids a bioactive compound

- from medicinal plants and its therapeutic applications. *Biomed Res Int.* 2022;2022:5445291. doi: 10.1155/2022/5445291
13. Dar RA, Shahnawaz M, Ahanger MA, Majid IU. Exploring the diverse bioactive compounds from medicinal plants: a review. *J Phytopharm.* 2023 Jun 30;12(3):189-95.
 14. Adegbola P, Aderibigbe I, Hammed W, Omotayo T. Antioxidant and anti-inflammatory medicinal plants have potential role in the treatment of cardiovascular disease: a review. *Am J Cardiovasc Dis.* 2017 Apr 15;7(2):19.
 15. Chen YH, Lin SJ, Chen YL, Liu PL, Chen JW. Anti-inflammatory effects of different drugs/agents with antioxidant property on endothelial expression of adhesion molecules. *Cardiovasc Haematol Disord Drug Targets.* 2006 Dec 1;6(4):279-304. doi: 10.2174/187152906779010737.
 16. Cutler DM, McClellan MB. The determinants of technological change in heart attack treatment. 1996.
 17. Page JP. Heart attack treatments. *JAMA.* 1999 Jul 28;282(4).
 18. Avicenna. *Al-Qanun fi al-Tibb (The Canon of Medicine)*. Beirut: Dar al-Kutub al-Ilmiyya; 2005.
 19. Tabari I. *Makhzan al-Adwiya*. Tehran: Iranian Traditional Medicine Institute; 2003.
 20. Ahvazi A. *Al-Kamil fi al-Tibb*. Tehran: Iranian Traditional Medicine Press; 2008.
 21. Razi Z. *Al-Hawi fi al-Tibb (Comprehensive Book on Medicine)*. Tehran: Iranian Academy of Medical Sciences; 2007.
 22. Jurjani H. *Teb al-Akmal*. Tehran: Tehran University Press; 2001.
 23. Razi MZ. *Asbab va Alamat al-Amraz*. Tehran: Iranian Traditional Medicine Institute; 2004.
 24. Anonymous. *Shafa va Tazkereh-ye Hokama-ye Iran*. Tehran: Ministry of Health Press; 2010.
 25. Anonymous. *Makhzan al-Adwiya Iran*. Tehran: Iranian Traditional Medicine Research Center; 2012.
 26. Davis BR, Kostis JB, Simpson LM, Black HR, Cushman WC, Einhorn PT, et al. Heart failure with preserved and reduced left ventricular ejection fraction in the antihypertensive and lipid-lowering treatment to prevent heart attack trial. *Circulation.* 2008 Nov 25;118(22):2259-67. doi: 10.1161/CIRCULATIONAHA.107.762229.
 27. Haidari M, Norouzadeh R, Abbasi M. The use of herbal medicines in cardiovascular diseases. 2013. Available from: <https://civilica.com/doc/808932>
 28. Oraee A, Jafarnia Z, Ghaani-Eshkadari R, Doroudi M, Sadaqat-Manesh F, Hosseini T. The role of medicinal plants in the treatment of heart diseases: a view on experiences in Iran and the world. In: *The Seventh International Conference of Medical Herbs and Sustainable Agriculture*; 2024; Hamadan. Available from: <https://civilica.com/doc/2152481>
 29. Azemi R, Neshati Z. A study of the effects of medicinal plants' properties on heart diseases. In: *The Fifth International Conference on Biology and Earth Sciences*; 2022; Hamadan. Available from: <https://civilica.com/doc/1649705>
 30. Ebrahimi Y, Hasanvand A, Safarabadi AM, Sepahvand H, Moghadasi M, Abbaszadeh S. A review of the most important herbal drugs effective in chest pain due to cardiac disease. *Anaesth Pain Intensive Care.* 2019 Jul 3;23(1). <https://www.apicareonline.com/index.php/APIC/article/view/1004/1743>
 31. Sedighi M, Sewell RD, Nazari A, Abbaszadeh S, Cheraghi M, Amini A, et al. A review on the most important medicinal plants effective in cardiac ischemia-reperfusion injury. *Curr Pharm Des.* 2019 Jan 1;25(3):352-8. doi: 10.2174/1381612825666190329144016.
 32. Michel J, Abd Rani NZ, Husain K. A review on the potential use of medicinal plants from Asteraceae and Lamiaceae plant family in cardiovascular diseases. *Front Pharmacol.* 2020 Jun 5;11:852.
 33. Rathore A, Sharma AK, Murti Y, Bansal S, Kumari V, Snehi V, et al. Medicinal plants in the treatment of myocardial infarction disease: a systematic review. *Curr Cardiol Rev.* 2024 Jul 1;20(4):15-38. doi: 10.2174/011573403X278881240405044328.
 34. Guo Q, Wang J, Ni C, Pan J, Zou J, Shi Y, et al. Research progress on the natural products in the intervention of myocardial infarction. *Front Pharmacol.* 2024 Aug 22;15:1445349. <https://www.frontiersin.org/journals/pharmacology/articles/10.3389/fphar.2024.1445349/full>
 35. Jaisankar D, Ramamoorthy S, Ramasamy J. Therapeutic potential of flavonoid-enriched Chinese medicinal herbs in atherosclerosis, hypertension, myocardial infarction, and heart failure. *Pharmacol Res Mod Chin Med.* 2025 Oct 1:100701. doi:10.1016/j.prmcm.2025.100701
 36. Zhang MX, Song Y, Xu WL, Zhang LX, Li C, Li YL. Natural herbal medicine as a treatment strategy for myocardial infarction through the regulation of angiogenesis. *Evid Based Complement Alternat Med.* 2022;2022:8831750. doi: 10.1155/2022/8831750.
 37. Sheida A, Taghavi T, Shafabakhsh R, Ostadian A, Razaghi Bahabadi Z, Khaksary Mahabady M, et al. Potential of natural products in the treatment of myocardial infarction: focus on molecular mechanisms. *Crit Rev Food Sci Nutr.* 2023 Aug 29;63(22):5488-505. doi: 10.1080/10408398.2021.2020720.