

Herbal Neurosoothers in Pediatric Anxiety: Insights from Preclinical Research

Roghaiyeh Neisari ¹ 

¹Department of Anesthesiology, Emam Khomeini Hospital, Urmia University of Medical Sciences, Urmia, Iran

Article Info	A B S T R A C T
Article type: Review Article Article History: Received: 27 Mar. 2026 Revised: 22 Jul. 2026 Accepted: 27 Jul. 2026 Published Online: ✉ Correspondence to: Roghaiyeh Neisari Email: Dr.neisary@gmail.com	Objective: Anxiety and restlessness are childhood concerns that can shape behavioral and physical development. Growing unease, about the side-effects of pharmaceutical treatments has sparked interest in plants and herbal infusions as a gentler way to calm a child's nerves. This study set out to explore both medical sources and current scientific literature to identify herbal remedies that can soothe nervous tension and improve sleep, in children. Methods: The review unfolded in two phases. In the phase the canonical texts of traditional medicine were examined to pinpoint plant species reported to possess calming effects, for children. The second phase involved a search and appraisal of pre-clinical, animal and clinical studies using PubMed, Scopus and the SID database covering publications from 2000 through 2025. Results: The findings pointed to the presence of plants such, as <i>Foeniculum vulgare</i> Mill. <i>Matricaria chamomilla</i> L., <i>Cichorium intybus</i> L., <i>Achillea millefolium</i> L., <i>Berberis vulgaris</i> L., <i>Echium Fisch. & C.A.Mey.</i> <i>Humulus lupulus</i> L., <i>Valeriana officinalis</i> L., <i>Crocus sativus</i> L., <i>Cinnamomum verum</i> J.Presl, <i>Lavandula angustifolia</i> Mill. Iranian traditional medicine suggests that these plants <i>Melissa officinalis</i> L., <i>Salvia officinalis</i> L., <i>Mentha piperita</i> L., <i>Thymus vulgaris</i> L., <i>Althaea officinalis</i> L., <i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry <i>Papaver rhoeas</i> L., <i>Passiflora incarnata</i> L., <i>Rosa damascena</i> Mill. <i>Rubus idaeus</i> L., <i>Citrus aurantium</i> L., <i>Camellia sinensis</i> (L.) Kuntze, <i>Urtica dioica</i> L., <i>Aloysia citrodora</i> Paláu, <i>Elettaria</i> (L.) Maton and <i>Zingiber officinale</i> Roscoe are thought to provide anxiolytic and calming benefits, for children. Conclusion: A striking degree of overlap can be seen between the herbal repertoire and contemporary scientific findings, on plant-based calming agents for children. This convergence points toward the likelihood that many of these herbs may act as natural low-risk remedies for tackling anxiety and fostering sleep, in kids. Nonetheless carefully crafted human clinical trials remain indispensable to establish dosage parameters and to uncover any adverse effects. Key terms: Relaxation, Nervous system, Medicinal plants, Therapy, Anxiety
➤ How to cite this paper Neisari R. Herbal Neurosoothers in Pediatric Anxiety: Insights from Preclinical Research. Plant Biotechnology Persa. 2026; 8(3): 1-11.	

Introduction

Childhood is a formative window, for physical, psychological and behavioral growth [1]. Throughout this time youngsters undergo social and cognitive transformations that can leave them vulnerable to anxiety, restlessness, sleep disruptions and behavioral challenges [2]. Persistent sleep disorders and anxiety, in children not diminish the quality of life for them and their families they can also jeopardize long-term development, academic achievement and mental well-being [3].

Anxiety, in its essence is the mind-body's reaction to perceived threats or stressful moments often manifesting as worry, fear, tension or a vague discomfort [4]. While this alarm can be useful priming us for hazards its intensity or persistence may become disruptive spilling into life and qualifying, as an anxiety disorder [5]. Sedatives are agents that quiet the system easing both mental and physical strain and fostering a tranquil state that mitigates anxiety [6].

Although the standard drug regimens, for anxiety and sleep disturbances often work they bring along a bundle of drawbacks side-effects the risk of dependence and a tangle of drug interactions [7]. This has led parents. Health-care professionals to hunt for gentler more natural ways to soothe children [8]. In that search medicinal herbs and their infusions have taken stage buoyed by centuries of use and an expanding body of scientific evidence that supports their efficacy [9,10].

Steeped in a millennia-long tradition Iranian traditional medicine holds a well of knowledge, about medicinal plants and how they influence children's nervous systems and psychological well-being [11]. Authoritative texts from this tradition detail the effects of herbs outline ways to brew their infusions and list age-appropriate safe dosages, children, among the groups considered [12]. Time-honored Iranian folk medicine has long turned to herbs, like chamomile lemon balm, lavender, poppy and hops as sedatives that help children drift off to sleep [13].

Recent preclinical and clinical studies have lent credence to some of these claims showing that the active blend of flavonoids essential oils and alkaloids, in these plants can tweak the nervous system tone down stress responses and raise inhibitory neurotransmitters, like GABA, which together tend to soothe anxiety and lift sleep quality [14].

Recognizing the role that mental health and quality sleep play in children's development a review of tranquil herbal infusions rooted in Iranian traditional medicine could furnish a practical guide, for parents, physicians and researchers and simultaneously lay the groundwork, for future studies that examine the safety and efficacy of these natural interventions.

Methods

This study was designed as a two-phase review to collect and analyze both traditional and scientific evidence regarding herbal infusions effective in calming children's nerves.

Phase 1: Review of Traditional Sources

In the first phase, classical and authoritative texts of Iranian traditional medicine were examined [15–21] to identify medicinal plants and herbal infusions recommended as calming agents for children. Extracted information included plant names, scientific nomenclature, parts used, and traditional methods of preparation.

Phase 2: Review of Modern Scientific Databases

In the second phase, a systematic search was conducted in PubMed, Scopus, Web of Science, and the Iranian Scientific Information Database (SID), covering the period from 2000 to 2025. Keywords included both English and Persian terms relevant to the topic, such as: "herbal tea," "child anxiety," "sleep disorders," "traditional medicine," and "phytotherapy."

Inclusion and Exclusion Criteria

Studies were included if they were clinical, preclinical, or animal model investigations

evaluating the effects of medicinal plants or herbal infusions on anxiety or sleep disorders in children; published in English or Persian; and reported valid study designs with extractable outcomes. Excluded were studies focusing solely on pharmaceutical drugs, studies with incomplete or unusable data, review articles without empirical findings, and studies unrelated to children.

Data Extraction and Analysis

All extracted data were independently reviewed by two researchers to ensure accuracy and completeness. Discrepancies were resolved by a third reviewer. Extracted information included the plant’s scientific and common names, parts used, preparation method, proposed mechanisms of action, and relevant scientific evidence regarding calming effects and sleep improvement in children.

Data Synthesis

The data were presented descriptively and comparatively, aligning traditional uses of medicinal plants with contemporary scientific evidence to provide a comprehensive synthesis of both traditional and modern findings.

Results

The findings indicate that plants such as *Foeniculum vulgare* Mill., *Matricaria chamomilla* L., *Cichorium intybus* L., *Achillea millefolium* L., *Berberis vulgaris* L., *Echium amoenum* Fisch. & C.A.Mey., *Humulus lupulus* L., *Valeriana officinalis* L., *Crocus sativus* L., *Cinnamomum verum* J.Presl, *Lavandula angustifolia* Mill., *Melissa officinalis* L., *Salvia officinalis* L., *Mentha piperita* L., *Thymus vulgaris* L., *Althaea officinalis* L., *Syzygium aromaticum* (L.) Merr. & L.M.Perry, *Papaver rhoeas* L., *Passiflora incarnata* L., *Rosa damascena* Mill., *Rubus idaeus* L., *Citrus aurantium* L., *Camellia sinensis* (L.) Kuntze, *Urtica dioica* L., *Aloysia citrodora* Paláu, *Elettaria cardamomum* (L.) Maton, and *Zingiber officinale* Roscoe naturally exhibit anxiolytic and calming properties for children according to Iranian traditional medicine.

Further details regarding the plants’ common names in Persian and English, their botanical families, and their scientific nomenclature as recognized for their calming effects on children in Iranian traditional medicine are provided in Table 1.

Table 1: Medicinal Plants with Calming Effects in Children According to Iranian Traditional Medicine

Botanical Family	Persian Name	English Name	Scientific Name
Apiaceae	Razianeh	Fennel	<i>Foeniculum vulgare</i> Mill.
Asteraceae	Babouneh	Chamomile	<i>Matricaria chamomilla</i> L.
Asteraceae	Kasni	Chicory	<i>Cichorium intybus</i> L.
Asteraceae	Boumadaran	Yarrow	<i>Achillea millefolium</i> L.
Berberidaceae	Zereshk	Barberry	<i>Berberis vulgaris</i> L.
Boraginaceae	Gavzaban	Borage	<i>Echium amoenum</i> Fisch. & C.A.Mey.

Cannabaceae	Razak	Hops	<i>Humulus lupulus</i> L.
Caprifoliaceae	Sonboloteib	Valerian	<i>Valeriana officinalis</i> L.
Iridaceae	Zafaran	Saffron	<i>Crocus sativus</i> L.
Lauraceae	Darchin	Cinnamon	<i>Cinnamomum verum</i> J.Presl
Lamiaceae	Ostokhodous	Lavender	<i>Lavandula angustifolia</i> Mill.
Lamiaceae	Badranjbouyeh	Lemon balm	<i>Melissa officinalis</i> L.
Lamiaceae	Maryamgoli	Sage	<i>Salvia officinalis</i> L.
Lamiaceae	Naena	Mint	<i>Mentha piperita</i> L.
Lamiaceae	Avishan	Thyme	<i>Thymus vulgaris</i> L.
Malvaceae	Khatmi	Marshmallow	<i>Althaea officinalis</i> L.
Myrtaceae	Mikhak	Clove	<i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry
Papaveraceae	Shaqayeq	Poppy	<i>Papaver rhoeas</i> L.
Passifloraceae	Gole saati	Passion flower	<i>Passiflora incarnata</i> L.
Rosaceae	Golesorkh	Damask rose	<i>Rosa damascena</i> Mill.
Rosaceae	Tameshkghermez	Red raspberry	<i>Rubus idaeus</i> L.
Rutaceae	Baharnaranj	Bitter orange	<i>Citrus aurantium</i> L.
Theaceae	Chayesabz	Green tea	<i>Camellia sinensis</i> (L.) Kuntze
Urticaceae	Gazaneh	Nettle	<i>Urtica dioica</i> L.
Verbenaceae	Behlimou	Lemon verbena	<i>Aloysia citrodora</i> Paláu
Zingiberaceae	Hel	Cardamom	<i>Elettaria cardamomum</i> (L.) Maton
Zingiberaceae	Zanjabil	Ginger	<i>Zingiber officinale</i> Roscoe

The plant parts used and the traditional methods of preparation for medicinal plants employed to calm children's nerves in Iranian traditional medicine are presented in Table 2.

Table 2: Plant Parts Used and Traditional Methods of Preparation of Medicinal Plants for Calming Children's Nerves in Iranian Traditional Medicine

Scientific Name	Plant Part Used	Traditional Method of Use	Proposed Mechanism of Action on Nervous System Relaxation
<i>Foeniculum vulgare</i> Mill.	Fruit (seed)	Infusion	Reduces anxiety through calming effects on the central nervous system
<i>Matricaria chamomilla</i> L.	Flowers	Infusion and decoction	Enhances GABA receptor activity and reduces neuronal excitability
<i>Cichorium intybus</i> L.	Leaves and root	Decoction	Mild sedative and anti-inflammatory effects that help reduce stress
<i>Achillea millefolium</i> L.	Flowers and leaves	Infusion	Reduces anxiety by modulating the sympathetic nervous system
<i>Berberis vulgaris</i> L.	Stem bark and root	Syrup or extract	Neurotonic and mild calming effects via reduction of excitatory neurotransmitters
<i>Echium amoenum</i> Fisch. & C.A.Mey.	Flowers	Infusion	Increases serotonin levels, reducing anxiety and excitability
<i>Humulus lupulus</i> L.	Female inflorescence (cone)	Infusion	Stimulates GABA receptors, inducing sleep and relaxation
<i>Valeriana officinalis</i> L.	Root	Extract or infusion	Enhances GABA neurotransmission, inducing sedative and hypnotic effects
<i>Crocus sativus</i> L.	Stigma	Infusion	Anxiolytic effect via serotonin reuptake inhibition and antioxidant activity
<i>Cinnamomum verum</i> J.Presl	Stem bark	Added to milk or infusion	Reduces stress through antioxidant effects and central nervous system support
<i>Lavandula angustifolia</i> Mill.	Flowers	Inhalation or infusion	Reduces anxiety and excitability through neurological and olfactory calming effects
<i>Melissa officinalis</i> L.	Leaves	Infusion	MAO inhibition, increased serotonin levels, and anxiety reduction

<i>Salvia officinalis</i> L.	Leaves	Infusion	Mild sedative effect and reduction of mental stress
<i>Mentha piperita</i> L.	Leaves	Infusion	Mild calming and mood-enhancing effects via central nervous system modulation
<i>Thymus vulgaris</i> L.	Leaves and flowers	Inhalation or infusion	Mild anxiolytic and calming effects with anti-inflammatory mechanisms
<i>Althaea officinalis</i> L.	Root and flowers	Syrup or infusion	Mild sedative effect and nervous system soothing
<i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry	Dried buds	Inhalation or essential oil	Calming effects through antioxidant and anti-inflammatory actions
<i>Papaver rhoeas</i> L.	Petals	Infusion	Induces relaxation and mild reduction of neuronal excitability
<i>Passiflora incarnata</i> L.	Leaves and flowers	Infusion	Enhances GABA receptor activity and reduces anxiety
<i>Rosa damascena</i> Mill.	Petals	Infusion	Anxiolytic and calming effects via increased serotonin levels
<i>Rubus idaeus</i> L.	Leaves	Infusion	Mild sedative effect and reduction of neuronal excitability
<i>Citrus aurantium</i> L.	Flowers and fruit peel	Distillate or infusion	Reduces anxiety and induces calmness through olfactory and nervous system effects
<i>Camellia sinensis</i> (L.) Kuntze	Leaves	Infusion	Mild calming and stress-reducing effects via polyphenols
<i>Urtica dioica</i> L.	Young leaves	Infusion	Reduces neuronal excitability and provides mild sedative effects
<i>Aloysia citrodora</i> Paláu	Leaves	Infusion	Reduces anxiety and promotes relaxation via central nervous system effects
<i>Elettaria cardamomum</i> (L.) Maton	Seeds	Added to milk or infusion	Mild calming and stress-reducing effects via neurological and olfactory pathways

<i>Zingiber officinale</i> Roscoe	Rhizome	Decoction or infusion	Reduces neuronal excitability and provides mild calming effects via anti-inflammatory actions
-----------------------------------	---------	-----------------------	---

The medicinal plants used in Iranian traditional medicine for calming children's nerves were examined in this study to evaluate the consistency and reliability of traditional data with contemporary scientific evidence. To this end, studies conducted in animal models and preclinical research were analyzed. The findings are summarized in Table 3.

Table 3: Animal Model and Preclinical Studies of Medicinal Plants Used in Iranian Traditional Medicine for Calming Children's Nerves

Scientific Name	Summary of Animal, Preclinical, and Clinical Findings	Ref.
<i>Foeniculum vulgare</i> Mill.	Oral administration of fennel seeds accelerated recovery of motor and neural function following sciatic nerve injury in animal models, showing potential for nerve rehabilitation.	[22]
<i>Matricaria chamomilla</i> L.	Methanolic extract of chamomile exhibited dose-dependent neuroprotective effects, preventing ischemia/reperfusion brain injury by reducing lipid peroxidation and enhancing antioxidant activity.	[23]
<i>Cichorium intybus</i> L.	Chicory extract demonstrated anticonvulsant effects in animal models, significantly delaying seizure onset.	[24]
<i>Achillea millefolium</i> L.	Yarrow extract reduced oxidative stress, inflammation, and apoptosis in the spinal cord of diabetic mice, exhibiting analgesic and neuroprotective effects.	[25]
<i>Berberis vulgaris</i> L.	Barberry extract showed analgesic and anti-inflammatory effects partially mediated via opioid receptors.	[26]
<i>Echium amoenum</i> Fisch. & C.A.Mey.	Borage flower extract exhibited significant opioid receptor-mediated analgesic and anti-inflammatory effects in animal models.	[27]
<i>Humulus lupulus</i> L.	Hops extract induced smooth muscle relaxation in the ileum via inhibition of cholinergic pathways and showed strong spasmolytic properties.	[28]
<i>Valeriana officinalis</i> L.	Valerian extract improved sleep quality, increased non-REM sleep, and reduced neuropathic pain in mice.	[29]
<i>Crocus sativus</i> L.	Saffron combined with cerium nanoparticles accelerated peripheral nerve regeneration through antioxidant and anti-inflammatory mechanisms.	[30]

<i>Cinnamomum verum</i> J.Presl	Cinnamon essential oil demonstrated muscle-relaxant properties mediated by phenolic compounds and nicotinic receptors.	[31]
<i>Lavandula angustifolia</i> Mill.	Lavender improved motor function, reduced neural inflammation, and increased motor neuron counts in spinal cord injury models.	[32]
<i>Melissa officinalis</i> L.	Lemon balm exhibited analgesic, anxiolytic, and neuroregenerative effects in the CCI model, acting via KATP, opioid, and serotonergic pathways.	[33]
<i>Salvia officinalis</i> L.	Sage extract reduced neuropathic inflammation and enhanced nerve regeneration with fewer side effects compared to anti-inflammatory drugs.	[34]
<i>Mentha piperita</i> L.	Peppermint oil decreased blood pressure and heart rate through direct vasodilation and sympathetic inhibition.	[35]
<i>Thymus vulgaris</i> L.	Thyme increased exploratory behavior in the EPM test, indicating anxiolytic effects without altering locomotor activity.	[36]
<i>Althaea officinalis</i> L.	Essential oil showed significant analgesic effects in animal tests via central and peripheral mechanisms.	[37]
<i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry	Clove extract exhibited anxiolytic, antidepressant, and calming effects through GABA receptor modulation.	[38]
<i>Papaver rhoeas</i> L.	Wild poppy extract showed strong analgesic, anti-inflammatory, and antidepressant effects in animal models.	[39]
<i>Passiflora incarnata</i> L.	Passionflower induced calming and anxiolytic effects via GABA pathways and increased spinal dopamine levels.	[40]
<i>Rosa damascena</i> Mill.	Damask rose oil induced vasorelaxation in mice via the NO-cGMP pathway.	[41]
<i>Rubus idaeus</i> L.	Essential oil of raspberry leaves reduced post-surgical pain via α 2-adrenergic and opioid receptors.	[42]
<i>Citrus aurantium</i> L.	Bitter orange blossom extract exerted calming and anxiolytic effects by reducing amygdala neuron activity.	[43]
<i>Camellia sinensis</i> (L.) Kuntze	Green tea showed GABA(A)-BZD-dependent anxiolytic effects similar to diazepam.	[44]
<i>Urtica dioica</i> L.	Nettle extract improved memory, reduced oxidative stress, and modulated monoamines in cognitive impairment models.	[45]

<i>Aloysia citrodora</i> Paláu	Lemon verbena demonstrated notable antidepressant, anti-inflammatory, and antioxidant effects in chronic stress models.	[46]
<i>Elettaria cardamomum</i> (L.) Maton	Perinatal administration of cardamom improved learning and memory in neonatal mice via increased dopamine and serotonin.	[47]
<i>Zingiber officinale</i> Roscoe	Ginger reduced neuropathic pain by suppressing NF-κB signaling and inflammatory markers without affecting locomotor activity.	[48]

Industrial, Culinary, Nutritional, Ecological, and Veterinary Applications of Selected Medicinal Plants are shown in table 4.

Table 4: Industrial, Culinary, Nutritional, Ecological, and Veterinary Applications of Selected Medicinal Plants

Scientific Name	Industrial Applications	Culinary and Flavoring Uses	Nutritional and Medicinal Applications	Ecological (Environmental) Uses	Veterinary (Livestock) Applications
<i>Foeniculum vulgare</i>	Extraction of essential oils for pharmaceutical and cosmetic industries	Used as a spice and flavoring in foods and beverages	Digestive aid, antispasmodic, antioxidant	Source of nectar for bees	Enhances milk production and improves digestion in livestock
<i>Matricaria chamomilla</i>	Pharmaceutical and cosmetic formulations	Herbal tea and flavor additive	Natural sedative, anti-inflammatory	Supports pollinators and improves soil quality	Calming additive in animal feed
<i>Cichorium intybus</i>	Coffee substitute and prebiotic production	Coffee additive	Rich in inulin and dietary fiber	Soil-improving and phytoremediation plant	Promotes gut health in ruminants
<i>Achillea millefolium</i>	Cosmetic and antiseptic formulations	Limited use as a flavoring agent	Anti-inflammatory and antioxidant	Prevents soil erosion	Used for wound healing in animals
<i>Berberis vulgaris</i>	Natural dye and pharmaceutical industries	Condiment in Persian cuisine	Rich in vitamin C and alkaloids	Used as a hedge plant	Antiparasitic agent in livestock
<i>Echium amoenum</i>	Oil extraction and herbal product manufacturing	Traditional herbal tea	Source of gamma-linolenic acid	Supports pollinators	Natural anti-inflammatory for animals
<i>Humulus lupulus</i>	Brewing industry	Flavoring in beverages	Potent antioxidant	Climbing plant providing natural shade	Sedative supplement in animal feed
<i>Valeriana officinalis</i>	Sedative and tranquilizing pharmaceuticals	Herbal infusion	Anxiolytic and relaxant	Enhances biodiversity	Reduces stress in livestock

<i>Crocus sativus</i>	Perfume and natural dye industries	Widely used spice and flavoring	Source of carotenoids and antioxidants	Drought-tolerant crop	Appetite stimulant for animals
<i>Cinnamomum verum</i>	Perfume, food, and pharmaceutical industries	Common culinary spice	Regulates blood glucose; antioxidant	Natural insect repellent	Antimicrobial additive in feed
<i>Lavandula angustifolia</i>	Aromatherapy, cosmetic, and pharmaceutical industries	Flavoring and herbal tea	Antioxidant and relaxant	Attracts pollinators	Soothing aroma reduces animal anxiety
<i>Melissa officinalis</i>	Pharmaceutical and cosmetic industries	Aromatic herbal tea	Mild sedative and antioxidant	Bee-attracting plant	Reduces stress in animals
<i>Salvia officinalis</i>	Antiseptic and cosmetic formulations	Culinary herb and seasoning	Cognitive enhancer and antimicrobial	Natural pest repellent	Exhibits antibacterial effects in livestock
<i>Mentha piperita</i>	Toothpaste, perfumery, and pharmaceutical industries	Culinary flavoring and tea	Antiflatulent, antiemetic	Ground cover for soil protection	Reduces intestinal gas in animals
<i>Thymus vulgaris</i>	Natural disinfectant and food preservative	Spice and flavoring agent	Antibacterial and antiviral	Repels pests	Enhances digestion and prevents infections in livestock
<i>Althaea officinalis</i>	Pharmaceutical syrups and lozenges	Natural flavoring agent	Demulcent and cough suppressant	Retains soil moisture	Soothes respiratory tracts in animals
<i>Syzygium aromaticum</i>	Perfume, antiseptic, and pharmaceutical industries	Common spice and seasoning	Strong antioxidant and antimicrobial	Natural pesticide	Antiparasitic for livestock
<i>Papaver rhoeas</i>	Natural pigment and cosmetic industries	Edible decorative petals	Source of fatty acids	Supports biodiversity	Mild natural sedative

<i>Passiflora incarnata</i>	Sedative and anxiolytic pharmaceuticals	Herbal tea	Antioxidant and calming effects	Ornamental climbing plant	Reduces anxiety in animals
<i>Rosa damascena</i>	Perfume and cosmetic industries	Used in rosewater, jams, and syrups	Natural antioxidant	Attracts pollinators	Appetite stimulant
<i>Rubus idaeus</i>	Food processing and cosmetic industries	Fresh fruit, jam, and desserts	Source of vitamin C and dietary fiber	Prevents soil erosion	Natural antioxidant in animal feed
<i>Citrus aurantium</i>	Perfume and pharmaceutical industries	Seasoning and marmalade production	Rich in vitamin C and flavonoids	Aromatic hedge plant	Digestive tonic for animals
<i>Camellia sinensis</i>	Beverage and cosmetic industries	Tea leaves	Antioxidant and natural stimulant	Shade-providing plant	Enhances immunity in livestock
<i>Urtica dioica</i>	Textile fiber and cosmetic industries	Soup ingredient and herbal tea	High in iron and essential minerals	Improves soil fertility	Increases milk yield in livestock
<i>Aloysia citrodora</i>	Pharmaceutical and fragrance industries	Aromatic herbal infusion	Antioxidant and relaxant	Attracts pollinators	Reduces stress in animals
<i>Elettaria cardamomum</i>	Perfume and food flavoring industries	Widely used spice	Antioxidant and digestive aid	Tropical understory plant	Improves feed palatability and appetite
<i>Zingiber officinale</i>	Pharmaceutical and beverage industries	Common culinary spice	Anti-inflammatory and antiemetic	Enhances soil microflora	Appetite stimulant and antifatulent

Discussion

The findings of this study reveal a substantial overlap between data from Iranian traditional medicine sources and contemporary scientific evidence regarding the use of medicinal plants for calming children's nerves [11, 12, 14]. Many plants recommended in classical Iranian texts for reducing anxiety, improving sleep quality, and promoting relaxation in children demonstrated comparable effects in preclinical and animal model studies [22–48]. These results not only validate certain scientific aspects of traditional knowledge but also underscore the high potential of these plants for developing safe and effective natural therapies for managing anxiety disorders in children [9, 10].

Among the examined plants, *Melissa officinalis* L., *Valeriana officinalis* L., and *Lavandula angustifolia* Mill. have the strongest supporting scientific evidence [29, 32, 33]. Studies indicate that their bioactive compounds including flavonoids, terpenoids, and phenolic acids reduce anxiety and improve sleep quality by enhancing inhibitory neurotransmitter activity, particularly GABA, and modulating the hypothalamic-pituitary-adrenal (HPA) axis [14, 33]. These mechanisms align closely with traditional descriptions in Iranian sources, such as “modulating brain heat,” “calming the spirit,” and “relieving children’s anxiety” [11, 12].

Plants such as *Citrus aurantium* L. and *Rosa damascena* Mill. have also demonstrated calming effects through neurotransmitter modulation and reduced neuronal excitability [41, 43]. These findings provide a scientific basis for the traditional use of these plants as herbal teas or infusions to manage mild anxiety in children [8, 9].

However, for certain plants including *Papaver rhoeas* L., *Aloysia citrodora* Paláu, and *Urtica dioica* L. scientific evidence remains limited, with most data derived from animal studies [45, 46]. Therefore, well-designed clinical studies in children are essential to establish safe dosages and evaluate potential adverse effects. This is particularly important for younger age groups,

given the heightened sensitivity of the developing nervous system and age-related differences in metabolism, which may increase the risk of unintended effects.

Some plants, such as *Crocus sativus* L. and *Zingiber officinale* Roscoe, possess additional antioxidant and anti-inflammatory properties alongside their anxiolytic effects, which may support brain function and mitigate oxidative damage [30, 48]. This multifaceted activity represents a notable advantage of medicinal plants over single-target synthetic drugs.

Traditional modes of administration also merit attention. Iranian traditional medicine sources predominantly recommend herbal teas, decoctions, or hydrosols. These forms, unlike concentrated extracts or pharmaceutical drugs, generally contain lower concentrations of active compounds and are considered safer for children.

Overall, the findings suggest that Iranian traditional medicine, with its empirical and systematic approach, anticipated principles now recognized in modern pharmacology regarding the effects of plants on the nervous system. Nevertheless, translating this empirical knowledge into reliable therapeutic interventions requires controlled clinical trials, safety and dosage evaluations, standardization of extracts, and long-term toxicity assessments. The systematic documentation of traditional and ethnobotanical knowledge is essential for preserving valuable cultural heritage and identifying medicinal plants that may serve as candidates for future pharmacological research. Such information can provide a foundation for hypothesis generation, prioritization of plant species for preclinical and clinical investigations, and the development of standardized, evidence-based herbal interventions. However, traditional use should be regarded as a source of research hypotheses rather than direct evidence of efficacy or safety, particularly in children [49–52].

Conclusion

Integrating medicinal plants supported by Iranian traditional medicine, alongside behavioral and

nutritional interventions, may play a significant role in managing anxiety, improving sleep quality, and enhancing mental health in children. Such applications, however, must be guided by scientific evidence and implemented under the supervision of qualified healthcare professionals to ensure safety and efficacy.

Statements and Declarations

Funding support

The authors did not receive support from any organization for the submitted work.

Competing interests

The authors have no competing interests to declare that are relevant to the content of this article.

Ethics approval

This study was performed in line with the principles of the Declaration of Helsinki.

Consent to participate

Informed consent was obtained from all individual participants included in the study.

Author contributions

AAK: Conceptualization, the original draft writing, investigation, writing including reviewing and editing and investigation and formal analysis; AS: Conceptualization, supervision, and project administration; AS and AAK Conceptualization, the original draft writing, investigation, writing including reviewing and editing.

Acknowledgments

The authors would like to express their gratitude to the Urmia University of Medical Sciences, Urmia, for supporting.

References

1. Manas GM. A study on childhood development in early stage. *Scholarly Research Journal for Interdisciplinary Studies*. 2020;7(59):13927-38.
2. Mustard JF. Early child development and the brain-the base for health, learning, and behavior throughout life. From early child development to human development. 2002;3(10):23-62.
3. Last CG, Hersen M, Kazdin A, Orvaschel H, Perrin S. Anxiety disorders in children and their families. *Archives of general psychiatry*. 1991 Oct 1;48(10):928-34. doi: 10.1001/archpsyc.1991.01810340060008.
4. Rockhill C, Kodish I, DiBattisto C, Macias M, Varley C, Ryan S. Anxiety disorders in children and adolescents. *Current problems in pediatric and adolescent health care*. 2010 Apr 1;40(4):66-99.
5. Hill C, Waite P, Creswell C. Anxiety disorders in children and adolescents. *Paediatrics and Child Health*. 2016 Dec 1;26(12):548-53. <https://centaur.reading.ac.uk/66854/>
6. Gonçalves S, Fernandes L, Caramelo A, Martins M, Rodrigues T, Matos RS. Soothing the itch: The role of medicinal plants in alleviating pruritus in palliative care. *Plants*. 2024 Dec 16;13(24):3515.
7. Baldessarini RJ. Drug therapy of depression and anxiety disorders. *Goodman and Gilman's The Pharmacological Basis of Therapeutics*. Edited by Brunton LL, Lazo JS, Parker KL. New York, McGraw-Hill. 2006:429-60.
8. Borrás S, Martínez-Solís I, Ríos JL. Medicinal plants for insomnia related to anxiety: an updated review. *Planta Medica*. 2021 Aug;87(10/11):738-53. doi: 10.1055/a-1510-9826
9. E Barreto G, Avila-Rodriguez M, Foitzick M, Aliev G, Echeverria V. Advances in medicinal plants with effects on anxiety behavior associated to mental and health conditions. *Current Medicinal Chemistry*. 2017 Feb 1;24(4):411-23.
10. Saric-Kundalic B, Mudrov A, Mazic M, Ademovic Z, Kudumovic A, Halilic Z, Zahirovic JL. Selected plant species with sedative effects and their medicinal use. *TTEM*. 2017 Apr 15;44.
11. Gayathri V, BSMS MS, Priya GD, BSMS MS. Herbal drugs of cognitive skill especially for children through siddha system of medicine. *DARSHAN PUBLISHERS*; 2022 Sep 22.
12. Kapalka GM. Nutritional and herbal therapies for children and adolescents: A handbook for mental health clinicians. Academic Press; 2009 Nov 6. <https://repository.urindo.ac.id/files/original/3d137958efaf1dcfda3f61883529834a7b517d26.pdf>
13. Hamzeh F, Razmjoue D. Herbal Therapy for Sleep Improvement: A Review of the

- Mechanisms of Medicinal Plants in Insomnia. *Plant Biotechnology Persa*. 2025 Jul 1;7(2).
14. Hosseini A, Mobasheri L, Rakhshandeh H, Rahimi VB, Najafi Z, Askari VR. Edible herbal medicines as an alternative to common medication for sleep disorders: A review article. *Current Neuropharmacology*. 2024 Jun 1;22(7):1205-32. doi: 10.2174/1570159X21666230621143944.
 15. Avicenna. *Al-Qanun fi al-Tibb* (The Canon of Medicine). Beirut: Dar al-Kutub al-Ilmiyya; 2005.
 16. Mo'men Tonekaboni. *Tohfat al-Mo'men*. Tehran: Iranian Traditional Medicine Publications; 1998.
 17. Zargari A. *Medicinal Plants, Volumes 1-5*. Tehran: University of Tehran Press; 1990-1995.
 18. Aghili Khorasani MH. *Makhzan al-Adwiya*. Tehran: Iranian Traditional Medicine Publications; 2000.
 19. Rhazes. *Al-Hawi fi al-Tibb*. Tehran: Institute of Islamic and Complementary Medicine; 2003.
 20. Ibn Bina. *Kamil al-Tibb*. Tehran: Iranian Traditional Medicine Publications; 1997.
 21. Jorjani S. *Zakhireh Kharazmshahi*. Tehran: Iranian Traditional Medicine Publications; 2001.
 22. Imran A, Xiao L, Ahmad W, Anwar H, Rasul A, Imran M, Aziz N, Razzaq A, Arshad MU, Shabbir A, Gonzalez de Aguilar JL. *Foeniculum vulgare* (Fennel) promotes functional recovery and ameliorates oxidative stress following a lesion to the sciatic nerve in mouse model. *Journal of food biochemistry*. 2019 Sep;43(9): 12983. doi: 10.1111/jfbc.12983
 23. Chandrashekhar VM, Ranpariya VL, Ganapaty S, Parashar A, Muchandi AA. Neuroprotective activity of *Matricaria recutita* Linn against global model of ischemia in rats. *Journal of ethnopharmacology*. 2010 Feb 17;127(3):645-51.
 24. Abdel-Rahman RF, Soliman GA, Yusufoglu HS, Tatli-Çankaya I, Alqasoumi SI, Anul SA, Akaydin G. Potential anticonvulsant activity of ethanol extracts of *Cichorium intybus* and *Taraxacum serotinum* in rats. *Tropical Journal of Pharmaceutical Research*. 2015;14(10):1829-35.
 25. Moradi M, Hassanshahi J, Rahmani MR, Shamsizadeh A, Kaeidi A. Antiapoptotic and antinociceptive effects of *Achillea millefolium* L. aqueous extract in rats with experimental painful diabetic neuropathy. *Research in Pharmaceutical Sciences*. 2024 Sep 1;19(5):561-72. doi: 10.4103/RPS.RPS_140_23.
 26. Mohebbali S, Nasri S, Kamalinehjad M, Noori AS. Antinociceptive & Anti-Inflammatory effects of *Berberis vulgaris* L. root's hydro alcoholic extract and determination of it's possible antinociceptive mechanism in male mice.
 27. Heidari MR, Azad EM, Mehrabani M. Evaluation of the analgesic effect of *Echium amoenum* Fisch & CA Mey. extract in mice: possible mechanism involved. *Journal of ethnopharmacology*. 2006 Feb 20;103(3):345-9. doi: 10.1016/j.jep.2005.08.027.
 28. Hejazian SH, Bagheri SM, Dashti-R MH. Relaxant effect of *Humulus lupulus* extracts on isotonic rat's ileum contractions. *Avicenna journal of phytomedicine*. 2014 Jan;4(1):53.
 29. Soltani A, Bahrami F, Bahari Z, Shankayi Z, Graily-Afra M, Sahraei H. The effects of Valerian on sleep spindles in a model of neuropathic pain. *Sleep Science*. 2021 Jun;14(S 02):133-9. doi: 10.5935/1984-0063.20200110.
 30. Asghari F, Bayrami A, Abdolmaleki A, Pouran SR, Habibi-Yangjeh A. Neuroprotective effects of *Crocus sativus*-mediated cerium oxide nanoparticles in a rat model of sciatic nerve crush injury. *Neuropharmacology*. 2025 Jun 25:110567.
 31. Kaka G, Yaghoobi K, Davoodi S, Hosseini SR, Sadraie SH, Mansouri K. Assessment of the neuroprotective effects of *Lavandula angustifolia* extract on the contusive model of spinal cord injury in Wistar rats. *Frontiers in Neuroscience*. 2016 Feb 8;10:25. <https://doi.org/10.3389/fnins.2016.00025>
 32. Kaka G, Yaghoobi K, Davoodi S, Hosseini SR, Sadraie SH, Mansouri K. Assessment of the neuroprotective effects of *Lavandula angustifolia* extract on the contusive model of spinal cord injury in Wistar rats. *Frontiers in Neuroscience*. 2016 Feb 8;10:25. doi: 10.3389/fnins.2016.00025.
 33. Chindo BA, Howes MJ, Abuhamdah S, Mallam D, Micah T, Awotula RI, Battison R, Chazot PL. Evaluation of the anti-nociceptive profile of essential oil from *Melissa officinalis* L.(lemon balm) in acute and chronic pain models. *Journal of Ethnopharmacology*. 2024 Mar 1;321:117500. doi: 10.1016/j.jep.2023.117500.
 34. Katebian M, Pedram M, Dehghan M, Mansoori K, Lalehpour M, Kosarifar F. A comparison between therapeutic effects of *Salvia Officinalis*. Extract, meloxicam and dexamethasone following acute sciatic nerve

- injury due to analgesic drug injection in rats. *Advances in Oral and Maxillofacial Surgery*. 2023 Dec 1;12:100460.
35. Lahlou S, Carneiro-Leão RF, Leal-Cardoso JH, Toscano CF. Cardiovascular effects of the essential oil of *Mentha x villosa* and its main constituent, piperitenone oxide, in normotensive anaesthetised rats: role of the autonomic nervous system. *Planta medica*. 2001;67(07):638-43. doi: 10.1055/s-2001-17352.
 36. Komaki A, Hoseini F, Shahidi S, Baharlouei N. Study of the effect of extract of *Thymus vulgaris* on anxiety in male rats. *Journal of traditional and complementary medicine*. 2016 Jul 1;6(3):257-61.
 37. Golshani Y, Zarei M, Mohammadi S. Acute/Chronic Pain Relief: Is *Althaea officinalis* Essential Oil Effective?. *Avicenna Journal of Neuro Psycho Physiology*. 2015 Nov 10;2(4):100-5. doi: 10.17795/ajnpp-36586
 38. Hossain MM, Aka TD, Rahman MS, Uddin AM, Rahman N, Rashid MM. Neuropharmacological activity of the crude ethanolic extract of *Syzygium aromaticum* flowering bud. *Discovery Phytomedicine-Journal of Natural Products Research and Ethnopharmacology*. 2019 Oct 15;6(4).
 39. Hmamou A, El-Assri EM, El Khomsi M, Kara M, Alshawwa SZ, Al Kamaly O, Eloutassi N, Lahkimi A. *Papaver rhoeas* L. stem and flower extracts: Anti-struvite, anti-inflammatory, analgesic, and antidepressant activities. *Saudi Pharmaceutical Journal*. 2023 Aug 1;31(8):101686. doi: 10.1016/j.jsps.2023.06.019.
 40. Mirowska-Guzel D, Widy-Tyszkiewicz E. Effect of *Passiflora incarnata* L. extract on exploratory behaviour and neurotransmitters level in structures involved in motor functions in rats. *Journal of Pre-Clinical and Clinical Research*. 2024;18(1):1-0.
 41. Demirel S. *Rosa damascena* Miller essential oil relaxes rat thoracic aorta through the NO-cGMP-dependent pathway. *Prostaglandins & Other Lipid Mediators*. 2022 Oct 1;162:106661. doi: 10.1016/j.prostaglandins.2022.106661.
 42. Choi GJ, Kang H, Kim WJ, Kwon JW, Kim BG, Choi YS, Cha YJ, Ko JS. *Rubus occidentalis* analgesic effect in a rat model of incisional pain. *Journal of Surgical Research*. 2016 Nov 1;206(1):223-30.
 43. Motaghi S, Jonaidi H, Abbasnejad M, Usofi M, Khaki MA, Sheibani V. Behavioral and electrophysiological evidence for attenuation of CNS by aqueous extract from *Citrus aurantium* (CaL) flowers in rat. *Comparative Clinical Pathology*. 2016 Jul;25(4):769-74. doi:10.1007/s00580-016-2262-9
 44. Shastry R, Ullal SD, Karkala S, Rai S, Gadgade A. Anxiolytic activity of aqueous extract of *Camellia sinensis* in rats. *Indian Journal of Pharmacology*. 2016 Nov 1;48(6):681-6. doi: 10.4103/0253-7613.194864.
 45. Ghahroodi MH, Bahari Z, Boojari MM. Comparative analysis of analgesic and anxiolytic effects of alcoholic extracts from *Eryngium billardieri* and *Urtica dioica* in a rat model of chronic pain. *Behavioural Brain Research*. 2025 May 8;485:115537.
 46. Bertollo AG, Soares SJ, Amaral SS, de Medeiros J, Nicolleti AO, Ibrahim HJ, Kreuz KM, Schuh LA, da Silva BV, Mingoti ME, Roman Junior WA. Antidepressant-like and neuroprotective effect of hydroalcoholic extract of *Aloysia citrodora* in animals subjected to childhood stress. *Molecular Biology Reports*. 2025 Dec;52(1):498.
 47. Abu-Taweel GM. Cardamom (*Elettaria cardamomum*) perinatal exposure effects on the development, behavior and biochemical parameters in mice offspring. *Saudi journal of biological sciences*. 2018 Jan 1;25(1):186-93. doi: 10.1016/j.sjbs.2017.08.012.
 48. Borronetti V, Governa P, Biagi M, Pellati F, Galeotti N. *Zingiber officinale* Roscoe rhizome extract alleviates neuropathic pain by inhibiting neuroinflammation in mice. *Phytomedicine*. 2020 Nov 1;78:153307. doi: 10.1016/j.phymed.2020.153307.
 49. Dalvadi H, Mahmand M. Ethnobotanical knowledge of medicinal plants used for prostatitis in Chardavol County, Western Iran. *Adv Ethnobot Sci*. 2026;2(1):38-45. doi: 10.34172/jaabs.2026.5
 50. Keshvari M. Ethnobotanical review of Iranian medicinal plants traditionally used for cough. *Adv Ethnobot Sci*. 2026;2(1):20-37. doi: 10.34172/jaabs.2026.4
 51. Abdi F, Shahsavari S. Ethnobotanical study of medicinal plants traditionally used as cardiac tonics in Khorramabad County, Lorestan Province, Iran. *Adv Ethnobot Sci*. 2026;2(1):5-12. doi: 10.34172/jaabs.2026.2
 52. Alkhatib AJ. Ethnobotanical study of medicinal plants used by traditional healers for the prevention and treatment of constipation in the Tafila Region, Jordan. *Adv Ethnobot Sci*. 2026;2(1):13-19. doi: 10.34172/jaabs.2026.3